Contents lists available at ScienceDirect

# **Chemical Data Collections**

journal homepage: www.elsevier.com/locate/cdc

# Data Article

# Biochemical characterization data from Fourier transform infra-red spectroscopy analyses of *Rhizophora mangle* L. bark-extract

# Joshua Olusegun Okeniyi<sup>a,b,\*</sup>, Esther Titilayo Akinlabi<sup>b</sup>, Stephen Akinwale Akinlabi<sup>b</sup>, Elizabeth Toyin Okeniyi<sup>c</sup>

<sup>a</sup> Mechanical Engineering Department, Covenant University, Ota, Ogun State, Nigeria

<sup>b</sup> Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa

<sup>c</sup> Petroleum Engineering Department, Covenant University, Ota, Ogun State, Nigeria

### ARTICLE INFO

Article history: Received 9 November 2018 Revised 1 January 2019 Accepted 3 January 2019 Available online 4 January 2019

#### Keywords:

Rhizophora mangle L. Natural-plant extract FT-IR spectroscopy analyses Biochemical characterization Concrete steel-reinforcement/metallic corrosion-protection prospects

# ABSTRACT

This article presents biochemical characterization data, of organic functional groups and 3-D optimized structures of identified organic chemicals, from the Fourier transform infrared (FT-IR) spectroscopy analyses of *Rhizophora mangle* L. bark-extract. Spectral plot from FT-IR spectroscopy instrumentation application to the *Rhizophora mangle* L. bark-extract, which includes numerical data of adsorbed frequencies for indicating fingerprints/vibration modes of organic functional groups, is supplied in the paper. The obtained spectrum was also rendered to the computer-based Euclidean Search<sup>®</sup> of the Fluka Library<sup>®</sup> reference database, for obtaining hit-list of organic chemical compounds constituted in the bark-extract. Adsorbed functional groups from the FT-IR spectroscopy, including N-H, C-N, -C=N, O-P(=O)(H-O) and S-containing ligands, are corroborated by the chemical compounds identified by the computer-based hit-list. These data of biochemical constituent characterizations are useful for gaining insights into the prospects of using bark-extract from *Rhizophora mangle* L. natural-plant for corrosion-protection of metallic materials in aggressive service-environments.

© 2019 Elsevier B.V. All rights reserved.

## Specifications table

Subject area	Engineering, Materials Science and Engineering, Chemical Engineering, Biochemistry, Organic Chemistry, Spectroscopy, Plant
	Science
Compounds	Bio-organic chemical functional groups, bio-organic chemical compounds
Data category	Fourier transform infra-red spectroscopic spectrum, numerical data of adsorbed frequencies of organic functional groups,
	computer-based Euclidean Search hit list from Fluka Library
Data acquisition format	Spectrum from FT-IR spectroscopy instrumentation, analyzed for organic bio-constituent characterization
Data type	Spectrum, in-plot numerical data of adsorbed ligand frequency on FT-IR spectrum, computer-based Euclidean Search hit list of
	organic chemical rendered in 3-D optimized structure
Procedure	Methanolic extract of Rhizophora mangle L. bark was mounted in KBr pellet on the Spectrum BX® model of Perkin-Elmer®
	FT-IR spectrophotometer instrument. The FT-IR spectrum acquired was rendered to the Euclidean Search of the Fluka Library of
	the Perkin-Elmer® instrument
Data accessibility	A comprehensive dataset of physicochemical and mineralogical characterization of oil drill cuttings for comparison with other
	types of cement and assessing suitability for partial replacement of cements in concrete is provided in this article

\* Corresponding author at: Mechanical Engineering Department, Covenant University, Km 10 Idi-Iroko Road, Canaanland, Ota, Ogun State, Nigeria. *E-mail address:* joshua.okeniyi@covenantuniversity.edu.ng (J.O. Okeniyi).

https://doi.org/10.1016/j.cdc.2019.100177 2405-8300/© 2019 Elsevier B.V. All rights reserved.







# 1. Rationale

Metallic materials for many engineering applications are employed in service-environments that are aggressively corrosive, in detriments to the durability, in-service performance, and structural integrity of the materials and of the installation of their application [1-8]. Averting catastrophic failure from insidious corrosion deterioration of metals and the attendant huge costs necessitates use of methods for mitigating the metallic corrosion in their service-environments [9-13]. A highly effective and low cost approach for metallic corrosion-protection includes use of corrosion inhibitors, for which studies have reported effective corrosion inhibiting substances for specified metals in also specified aggressive environments [14-17]. Problems arise, however, from the toxicity, hazardousness, and the non-environmentally friendliness of corrosion inhibitor compounds, either from their synthesis procedures or applications for corrosion inhibition [2,18-23]. These engender interests in the search for environmentally-friendly 'green', i.e. non-toxic and non-hazardous, corrosion inhibiting substances.

It has been identified in reported works that extracts from plants are highly rich bio-resource of naturally synthesized mixtures of organic compounds combining advantages of non-toxicity, eco-friendliness, biodegradability, renewability, cost-effectiveness with positive potentials of metallic corrosion-protection [24-30]. Extracts of natural-plants, especially habitat in West Africa had been used for inhibiting metallic corrosion. Among them are *Anthocleista djalonensis* [31-35], *Cassia fis-tula* [24,25], *Cymbopogon citratus* [11,19,36-38], *Morinda lucida* [29,39], *Phyllanthus muellerianus* [40,41], *Phyllanthus amarus* [42,43], *Solanum aethiopicum* [45,46], *Spondia mombin* L. [47], *Rhizophora mangle* L. [28,48-50], and *Terminalia catappa* [22,51]. These extracts have been employed for the corrosion inhibition of metals including aluminum [24,35,43,47], carbon steel [37,38,42], mild steel [22,34,44,51], reinforcing steel in concrete [11,19,29,31-33,36,39-41,45,46,48-50] and stainless steel [25]. Also, these had been used for aggressive media such as acidic sulfate/industrial/microbial [22,24,25,29,33,38,40,44-45,47,49,50], hydrochloric acid [44,51], sodium chloride/saline [39,41,46,48], alkaline [44] and produced water [37] environments.

It is well-known that major factors supporting the suitability, for metallic corrosion-protection application, of a particular extract from natural-plant include the biochemical constituents of the extract [52]. This is because the bio-constituent characterizations of the plant-extracts are also useful for elucidating the corrosion-protection mechanisms of the extracts on the specified metallic material and in the specific environment of their anticorrosion application [42,53,54]. Methods that could be used for detailing organic components constituted in a specific plant-extract include the phytochemical screening procedures and the use of spectroscopy analyses [55-57]. The phytochemical screening method employs systems of set procedures involving chemical reactions, and with the needs to visually observe the reaction product for qualitative determination of the presence or otherwise of a specific constituent, for each system of set procedures. By this, identifications different phytochemical compounds require different system of set procedures for each specified compound. In contrasts, the spectroscopy analyses utilize specialized and robust instrumentation that is capable of identifying wide range of functional groups constituted in given test-sample, via a single application of the spectroscopy instrumentation. Particularly, the FT-IR spectroscopy analyses have the advantage of functional group identifications from characteristic and reproducible vibrations at the frequencies of electromagnetic radiation (infra-red light) adsorptions by the structural features of the chemical compounds constituted in the test-sample. These vibrations at adsorption frequencies also find usefulness for indicating backbones or fingerprints organic ligands within the spectra that could be further subjected to comparisons with references and databases [58-60].

Unlike many other plant-extracts that had been used for metallic corrosion-protection in aggressive environments, there is dearth of study on the biochemical characterization of the bark-extract from *Rhizophora mangle* L., especially via use of FT-IR spectroscopy analyses. While a recent research work published elsewhere [61] has included *R. mangle* L. leaf-extract characterization, there is dearth of study in the literature that has presented data on the FT-IR based characterization of *Rhizophora mangle* L. bark-extract. Therefore, this article presents data of biochemical characterization of organic bioconstituents from the Fourier transform infra-red (FT-IR) spectroscopy analyses of *Rhizophora mangle* L. bark-extract. Thus, the present data article will be both useful for complementing the cited work in [61] and for comparisons of the biochemical compounds that are constituted in the leaf as well as the bark of *R. mangle* L. natural-plant.

## 2. Procedure

Extract from the dried bark of *Rhizophora mangle* L. (*R. mangle* L.) Rhizophoraceae (identified at Forestry Research Institute with the voucher FHI No. 109501) was obtained using method that has been detailed in [61,62]. The bark of *R. mangle* L. natural-plant itself was sourced from Ehin-moore, at Ilaje Ese-odo environs in Ondo State, Southwest Nigeria [61]. The bark-extract was grinded in pestle into powdery form before mixing with KBr (potassium bromide) for hydraulically pressing into pellet [61,63], using the Specac® Press from Perkin–Elmer®. The obtained pellet held in cell holder for mounting on a Spectrum BX® model of FT-IR spectrophotometer equipment, also from Perkin–Elmer®. This FT-IR instrument has interface with Spectrum V5.3.1 software installed on an Intel® Core 2 Pro computer. It is from this system that the *R. mangle* L. bark-extract FT-IR spectrum for the study was obtained.

From the software system of the Spectrum BX®, and after the FT-IR spectrum for the *R. mangle* L. bark-extract had been obtained, the spectrum was first processed for the numerical indication, directly on the FT-IR spectrum chart, of the



Fig. 1. FT-IR spectrum of R. mangle L. bark extract obtained from the Spectrum BX®, FT-IR spectrophotometer of the Perkin-Elmer® system.

adsorption band frequencies for the functional groups present in the *R. mangle* L. bark-extract being studied. After this, the FT-IR spectrum of the *R. mangle* L. bark-extract was also rendered to the computer-based search utilizing the Euclidean Search® of the Fluka® Library reference database, also supplied by Perkin–Elmer® for obtaining hit-list of organic chemical compounds.

The 3-D optimized structure of the organic compounds from the Euclidean Search® hit list was obtained through use of the Jmol® software development version 14.20.3, from Oracle Corporation® as the Java® vendor, and which therefore runs through platform of the Java® software, version 1.8.0\_171.

### 3. Data, value and validation

The spectrum obtained from the FT-IR spectroscopy analyses of *R. mangle* L. bark-extract is presented in Fig. 1. The horizontal axis indicates the absorbance frequencies, while the vertical axis in the spectrum is for indicating the percentage transmitted intensity relative to the input intensity, hence its representation as %T (i.e. %transmittance). On the spectra chart in the figure, the numerical data adsorbed band frequencies, in cm<sup>-1</sup> unit, of organic functional group, representing backbones and fingerprints of organic chemical compounds that were naturally synthesized in the bark by the *R. mangle* L. natural-plant, are indicated.

### 3.1. Values of the R. mangle L. FT-IR spectrum

The value of the *R. mangle* L. bark-extract FT-IR spectrum first followed from the adsorbed band frequencies. These include the fact that the numerical data of adsorbed frequencies can be subjected to interpretations from the literature for assignments that suggest the functional group(s) of organic chemical(s) that adsorbed or overlapped at each of the bands of frequencies. This value is explored in Table 1 for assignments in the table, validation obtained from standard assignments that had been detailed in the literature [60,64-67], especially for indicating presence or absence of specific functional groups known with vibrations exhibiting particular frequency of adsorption band.

Another value of the *R. mangle* L. bark-extract FT-IR analyses follows from the rendering of the bark-extract spectrum to the computer-based Euclidean Search® hit list of the Fluka® Library reference database of the Perkin-Elmer® facility [36,53,55-57]. These further gave the dataset of organic chemical compounds presented in Table 2. The content of Table 2 includes:

Table 1	
Assignments of adsorbed band frequency data from FT-IR spectrum of R. mangle L. bark-extra	:t.

S/no.	Adsorption frequency (cm <sup>-1</sup> )	Chemical bond	Compound type(s)
1.	3314.28	N-H stretch	Amines or amino compounds
2.	1086.80	C–N stretch (overlapping with)	Amines or amino compounds (and, due to the overlaps)
		H–P–H in-plane scissors and/or P–O–C stretch	Phosphonic or phosphinic derivatives
3.	3165.71	=C-H stretching vibration	Unsaturated alkenes and/or arenes <sup>a</sup>
4.	385.87	C–H bending overlap(s)	Mono/multiatomic ring substitution of the
5.	359.03		aromatic H–bond by X–group ligand
6.	2352.00	Multiple bond overlaps of bonds such as:	
		triple bonds C=C, $-C=N$ , or	Nitrile oxide
		Accumulated double bonds of the form	
		-C=C=C-, -N=C=O; more specifically,	
		$-C \equiv N \rightarrow 0$ group overlap	
		Or	Or
		P-H stretching vibration characteristics of	Suspects of hetero-oxy compounds <sup>b</sup>
		O-P(=O)(H-O) of phosphonic or of	
		O-P(=O)(H-O) or of phosphinic derivatives	
7.	558.03	C-S stretching vibration	Aliphatic halogenated compound or overlap of
8.	482.28	or C-Cl stretching vibration	S-containing or other ligand substitutions

<sup>a</sup> It is worth noting that the non observation of absorption band characteristics of C=C (alkenes/arenes) at 1600 cm<sup>-1</sup> in the *R. mangle* L. barkextract FT-IR spectrum further hinted on a para system of arenes having center of symmetry that eliminates change in dipole moment during vibration via rule of mutual exclusion [66].

<sup>b</sup> These suspects follows from the combining the adsorption at 2352.00 cm<sup>-1</sup> with the multiple (identified and unidentified) bands observable from the lesser than 1500 cm<sup>-1</sup> region of the *R. mangle* L. bark-extract FT-IR spectrum [60,67].

- The Fluka number, by the Spectrum BX® system and which is useful for validating the link of the identified compound to the Fluka® Library from which they were obtained;
- The chemical formula; and
- The nomenclature of chemical compound;
- The 3-D optimized structure of each chemical compound, via the Jmol® software usage.

In furtherance of data value detailing, the FT-IR spectroscopy analyses of *R. mangle* L. bark-extract from the present study foster comparisons with what obtained from the similar spectroscopy applications to the leaf-extract from this same naturalplant in the recently published research detailed in [61]. By these comparisons, therefore, it could be noted from Fig. 1 that the FT-IR spectra of the bark-extract exhibited the contrasts of being more predominated with weak to medium adsorbed frequencies. This is much unlike the FT-IR spectra obtained from the leaf-extract of *R. mangle* L. in [61], which exhibited more of strong and sharp frequency vibration modes. However, both the bark-extract, from the present work, and the leafextract from the recent study, exhibited the similarities of constituting N-, S-, Cl- and O-containing ligands, as detailed in Table 1, from their FT-IR spectroscopy analyses. Despite these, it is worth noting from Table 2 that all the ten biochemical compounds identified via computer-based reference database searching for the bark-extract in the present data article are entirely different from those identified for the leaf-extract of *R. mangle* L. in [61]. This is unlike the biochemical compounds identified from other studies on FT-IR spectroscopy applications to extract from leaves of other plants [36,53,55-57,61], and from which some similarities of biochemical compounds among the leaf-extracts were observed. Yet, the findings from those studies on the positive performance of heteoratomic/lone-pair rich organic compounds constituted plant-extracts on metallic corrosion-protection strongly spark interests on utilizing the also lone-pair rich *R mangle* L. bark-extract, from this work, for anticorrosion applications.

Overall, these detailed data of *R. mangle* L. bark-extract biochemical characterization from the FT-IR analyses of the natural plant find useful values that include the following.

- Since reports from studies showed that N-, S-, P- and O-containing, and lone-pair/ $\pi$ -electrons rich, organic compounds are effective corrosion inhibitors [10,26,68,69], these ligands-containing compounds also identified in this study can be further investigated for metallic corrosion-protection [70];
- The identified ligands of organic functional groups can lend understanding to the corrosion-protection effects and mechanisms observed from using *R. mangle* L. bark-extract on metallic materials in aggressive environments [53,59];
- Knowledge of the organic compound bio-resources identified in the *R. mangle* L. bark-extract can engender further research on usage of the bark-extract on metallic materials and/or corrosive environments for which the natural-plant has not yet been studied for anticorrosion application;
- The characterized bark-extract and the identified naturally-synthesized biochemical compounds can promote usage of environmentally-friendly corrosion inhibitors that combine lower costs, non-toxicity, and non-hazardousness to the environment with positive effectiveness on corrosion-protection for metallic materials in aggressive environments.

# Table 2 Euclidean search hit list of the compounds from R. mangle L. bark-extract FT-IR analyses.

S/no.	Fluka® no.	Molecular formula	Chemical nomenclature	3-D optimized structure
1.	F55660	C₄H <sub>8</sub> O	(Hydroxymethyl) cyclopropane	
2.	F69670	C₅H₃NO	N-Methyl-N-vinylacetamide	

J.O. Okeniyi, E.T. Akinlabi and S.A. Akinlabi et al./Chemical Data Collections 19 (2019) 100177

(continued on next page)

Table	2	(continued)

S/no.	Fluka® no.	Molecular formula	Chemical nomenclature	3-D optimized structure
3.	F55622	C₅H9NO	2-Hydroxy-2-methylbutanenitrile	
4.	F08398	CH₅NO3S	Aminomethanesulfonic acid	(ontinued on next need)

Table 2	(continu	ıed)
---------	----------	------

S/no.	Fluka® no.	Molecular formula	Chemical nomenclature	3-D optimized structure	
5.	F49140	C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>	D(+)-Glucose anhydrous		_
6.	F66770	CH₂(NH₂)₂•2HCI	Methylenediamine dihydrochloride	(continued on next page	ge)

Table 2 (continued)
---------------------

S/no.	Fluka® no.	Molecular formula	Chemical nomenclature	3-D optimized structure
7.	F49790	C3H6O3	ı(—)-Glyceraldehyde unnatural form	
8.	F59992	C <sub>16</sub> H <sub>26</sub> O <sub>3</sub>	C16-Juvenile hormone	

(continued on next page)

Table 2	(continued)
---------	-------------

S/no.	Fluka® no.	Molecular formula	Chemical nomenclature	3-D optimized structure
9.	F05150	C3H7NO2	DL-Alanine	
10.	F43154	C <sub>12</sub> H <sub>12</sub> NO <sub>2</sub> P	O-(Diphenylphosphinyl) hydroxylamine	

## Acknowledgment

Authors wish to acknowledge part-funding of this research by the following institutions: the Covenant University Centre for Research, Innovation and Discovery (CUCRID), Covenant University, Ota, Nigeria, and the National Research Foundation – The World Academy of Sciences, NRF-TWAS, [grant no: 115569].

### Supplementary materials

Supplementary material associated with this article can be found, in the online version, at doi:10.1016/j.cdc.2019.100177.

#### References

- D. Kong, C. Dong, X. Ni, C. Man, K. Xiao, X. Li, Insight into the mechanism of alloying elements (Sn, Be) effect on copper corrosion during long-term degradation in harsh marine environment, Appl. Surf. Sci. 455 (2018) 543–553, doi:10.1016/j.apsusc.2018.06.029.
- [2] D.K. Verma, F. Khan, I. Bahadur, M. Salman, M.A. Quraishi, C. Verma, E.E. Ebenso, Inhibition performance of Glycine max, Cuscuta reflexa and Spirogyra extracts for mild steel dissolution in acidic medium: density functional theory and experimental studies, Results Phys. 10 (2018) 665–674, doi:10.1016/ j.rinp.2018.06.003.
- [3] F. García-Ávila, G. Bonifaz-Barba, S. Donoso-Moscoso, L.F. del Pino, L. Ramos-Fernández, Dataset of copper pipes corrosion after exposure to chlorine, Data Brief 19 (2018) 170–178, doi:10.1016/j.dib.2018.05.023.
- [4] G. Šekularac, I. Milošev, Corrosion of aluminium alloy AlSi7Mg0.3 in artificial sea water with added sodium sulphide, Corros. Sci. 144 (2018) 54–73, doi:10.1016/j.corsci.2018.08.038.
- [5] J.O. Okeniyi, E.T. Akinlabi, J.O. Ikotun, S.A. Akinlabi, E.T. Okeniyi, Data on triethylenetetramine effect on steel-rebar corrosion-rate in concrete immersed in 0.5 M H<sub>2</sub>SO<sub>4</sub>, Chem. Data Collect. 15 (2018) 238-243, doi:10.1016/j.cdc.2018.06.005.
- [6] L.O. Osoba, J.O. Okeniyi, B.I. Pogoson, O.A. Fasuba, Effects of single pass and multipass welding on austenitic stainless steel corrosion in aggressive environments, Gazi Univ. J. Sci. 30 (2017) 514–529.
- [7] O.A. Omotosho, J.O. Okeniyi, E.I. Obi, O.O. Sonoiki, S.I. Oladipupo, T.M. Oshin, Inhibition of stainless steel corrosion in 0.5 MH<sub>2</sub>SO<sub>4</sub> in the presence of C<sub>6</sub>H<sub>5</sub>NH<sub>2</sub>, in: TMS 2016 145th Annual Meeting & Exhibition, Cham, Springer, 2016, pp. 465–472, doi:10.1007/978-3-319-48254-5\_56.
- [8] J.O. Okeniyi, O.A. Omotosho, C.A. Loto, A.P.I. Popoola, Corrosion rate and noise resistance correlation from NaNO<sub>2</sub>-admixed steel-reinforced concrete, Asian J. Sci. Res. 8 (2015) 454–465, doi:10.3923/ajsr.2015.454.465.
- [9] C. Verma, E.E. Ebenso, I. Bahadur, M.A. Quraishi, An overview on plant extracts as environmental sustainable and green corrosion inhibitors for metals and alloys in aggressive corrosive media, J. Mol. Liq. 266 (2018) 577–590, doi:10.1016/j.molliq.2018.06.110.
- [10] J. Wysocka, M. Cieslik, S. Krakowiak, J. Ryl, Carboxylic acids as efficient corrosion inhibitors of aluminium alloys in alkaline media, Electrochim. Acta 289 (2018) 175–192, doi:10.1016/j.electacta.2018.08.070.
- [11] J.O. Okeniyi, A.P.I. Popoola, E.T. Okeniyi, Cymbopogon citratus and NaNO<sub>2</sub> behaviours in 3.5% NaCl-immersed steel-reinforced concrete: implications for eco-friendly corrosion inhibitor applications for steel in concrete, Int. J. Corros. (2018) 1–11, doi:10.1155/2018/5949042.
- [12] O.A. Omotosho, J.O. Okeniyi, A.P.I. Popoola, Corrosion inhibition of stainless steel in 0.5 M HCl by C<sub>6</sub>H<sub>5</sub>NH<sub>2</sub>, CORROSION 2018, NACE International, 2018 Paper No. 10807.
- [13] J.O. Okeniyi, C<sub>10</sub>H<sub>18</sub>N<sub>2</sub>Na<sub>2</sub>O<sub>10</sub> inhibition and adsorption mechanism on concrete steel-reinforcement corrosion in corrosive environments, J. Assoc. Arab Univ. Basic Appl. Sci. 20 (2016) 39–48, doi:10.1016/j.jaubas.2014.08.004.
- [14] Ž.Z. Tasić, M.B.P. Mihajlović, M.B. Radovanović, A.T. Simonović, M.M. Antonijević, Cephradine as corrosion inhibitor for copper in 0.9% NaCl solution, J. Mol. Struct. 1159 (2018) 46–54, doi:10.1016/j.molstruc.2018.01.031.
- [15] O.A. Omotosho, J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, E.O.J. Fademi, S.I. Oladipupo, A.S. Alabi, O.B. Ajibola, A.N. Emelieze, C<sub>6</sub>H<sub>5</sub>NH<sub>2</sub> effect on the corrosion inhibition of aluminium in 0.5 M HCl, in: AIP Conference Proceedings, 1814, AIP Publishing, 2017, doi:10.1063/1.4976255.
- [16] H.S. Ryu, J.K. Singh, H.M. Yang, H.S. Lee, M.A. Ismail, Evaluation of corrosion resistance properties of N, N'-dimethyl ethanolamine corrosion inhibitor in saturated Ca(OH)<sub>2</sub> solution with different concentrations of chloride ions by electrochemical experiments, Construct. Build. Mater. 114 (2016) 223–231, doi:10.1016/j.conbuildmat.2016.03.174.
- [17] J.O. Okeniyi, A.P.I. Popoola, C.A. Loto, Corrosion test-data modeling for C<sub>10</sub>H<sub>18</sub>N<sub>2</sub>Na<sub>2</sub>O<sub>10</sub> performance on steel-rebar in NaCl-immersed concrete, COR-ROSION 2015, NACE International, 2015 Paper No. 5590.
- [18] A.A. Khadom, A.N. Abd, N.A. Ahmed, Xanthium strumarium leaves extracts as a friendly corrosion inhibitor of low carbon steel in hydrochloric acid: Kinetics and mathematical studies, South Afr. J. Chem. Eng. 25 (2018) 13–21, doi:10.1016/j.sajce.2017.11.002.
- [19] J.O. Okeniyi, A.P.I. Popoola, E.T. Okeniyi, Cymbopogon citratus and Na<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> performance on reinforcing-steel corrosion in industrial/microbial simulating-environment: prospect on environmentally friendly inhibitor, CORROSION 2018, NACE International, 2018 Paper No 10808.
- [20] S.A. Umoren, A.A. AlAhmary, Z.M. Gasem, M.M. Solomon, Evaluation of chitosan and carboxymethyl cellulose as ecofriendly corrosion inhibitors for steel, Int. J. Biol. Macromol. 117 (2018) 1017–1028, doi:10.1016/j.ijbiomac.2018.06.014.
- [21] Y. Xu, S. Zhang, W. Li, L. Guo, S. Xu, L. Feng, L.H. Madkour, Experimental and theoretical investigations of some pyrazolo-pyrimidine derivatives as corrosion inhibitors on copper in sulfuric acid solution, Appl. Surf. Sci. 459 (2018) 612–620, doi:10.1016/j.apsusc.2018.08.037.
- [22] O.A. Omotosho, J.O. Okeniyi, A.B. Oni, T.O. Makinwa, O.B. Ajibola, E.O.J. Fademi, C.E. Obi, C.A. Loto, A.P.I. Popoola, Inhibition and mechanism of *Terminalia catappa* on mild-steel corrosion in sulphuric-acid environment, Prog. Ind. Ecol. 10 (2016) 398–413, doi:10.1504/PIE.2016.083924.
- [23] J.O. Okeniyi, A.P.I. Popoola, C.A. Loto, O.A. Omotosho, S.O. Okpala, I.J. Ambrose, Effect of NaNO<sub>2</sub> and C<sub>6</sub>H<sub>15</sub>NO<sub>3</sub> synergistic admixtures on steel-rebar corrosion in concrete immersed in aggressive environments, Adv. Mater. Sci. Eng. (2015) (2015) 1–11, doi:10.1155/2015/540395.
- [24] O.A. Omotosho, J.O. Okeniyi, C.A. Loto, A.P. Popoola, A. Oni, A. Alabi, A. Olarewaju, Corrosion resistance of aluminium in 0.5 M H<sub>2</sub>SO<sub>4</sub> in the presence of *Cassia fistula* extract, in: TMS Annual Meeting & Exhibition, Springer, 2018, pp. 909–918, doi:10.1007/978-3-319-72526-0\_87.
- [25] O.A. Omotosho, J.O. Okeniyi, C.A. Loto, A.P. Popoola, S.A. Afolalu, E. Obi, O. Sonoiki, T. Oshin, A. Ogbiye, Stainless steel corrosion resistance in 0.5 M H<sub>2</sub>SO<sub>4</sub> using *Cassia fistula* extract, in: TMS Annual Meeting & Exhibition, Cham, Springer, 2018, pp. 891–900, doi:10.1007/978-3-319-72526-0\_85.
- [26] P.E. Alvarez, M.V. Fiori-Bimbi, A. Neske, S.A. Brandán, C.A. Gervasi, Rollinia occidentalis extract as green corrosion inhibitor for carbon steel in HCl solution, J. Ind. Eng. Chem. 58 (2018) 92–99, doi:10.1016/j.jiec.2017.09.012.
- [27] R. Haldhar, D. Prasad, A. Saxena, Armoracia rusticana as sustainable and eco-friendly corrosion inhibitor for mild steel in 0.5 M sulphuric acid: experimental and theoretical investigations, J. Environ. Chem. Eng. 6 (2018) 5230–5238, doi:10.1016/j.jece.2018.08.025.
- [28] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Corrosion inhibition of concrete steel-reinforcement in saline/marine simulating-environment by *Rhizophora mangle L*, Solid State Phenom. 227 (2015) 185–189, doi:10.4028/www.scientific.net/SSP.227.185.
- [29] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Inhibition of steel-rebar corrosion in industrial/microbial simulating-environment by Morinda lucida, Solid State Phenom. 227 (2015) 281–285, doi:10.4028/www.scientific.net/SSP.227.281.
- [30] M. Ismail, P.B. Raja, A.A. Salawu, Developing deeper understanding of green inhibitors for corrosion of reinforcing steel in concrete, in: H.L. Lim (Ed.), Handbook of Research on Recent Developments in Materials Science and Corrosion Engineering Education, IGI Global, 2015, pp. 118–146, doi:10.4018/ 978-1-4666-8183-5.ch007.
- [31] G. Xie, L. Wei, Inhibitor effect of Anthocleista djalonensis extract on the corrosion of concrete steel reinforcement, Int. J. Electrochem. Sci. 13 (2018) 5311–5322.

- [32] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Anticorrosion performance of Anthocleista djalonensis on steel-reinforced concrete in a sulphuric-acid medium, HKIE Trans. 23 (2016) 138–149, doi:10.1080/1023697X.2016.1201437.
- [33] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Total-corrosion effects of Anthocleista djalonensis and Na<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> on steel-rebar in H<sub>2</sub>SO<sub>4</sub>: sustainable corrosion-protection prospects in microbial/industrial environment, in: REWAS 2016, Springer, Cham, 2016, pp. 187–192, doi:10.1007/978-3-319-48768-7\_27.
- [34] C.E. Ogukwe, C.O. Akalezi, M.A. Chidiebere, K.L. Oguzie, Z.O. Iheabunike, E.E. Oguziea, Corrosion inhibition and adsorption of Anthocleista djalonesis leaf extract on the acid corrosion of mild steel, Port. Electrochim. Acta 30 (2012) 189–202, doi:10.4152/pea.201203189.
- [35] O.O. Adeyemi, O.O. Olubomehin, Investigation of Anthocleista djalonensis stem bark extract as corrosion inhibitor for aluminum, Pac. J. Sci. Technol. 11 (2010) 455–462.
- [36] J.O. Okeniyi, E.T. Okeniyi, O.O. Ogunlana, T.F. Owoeye, O.E. Ogunlana, Investigating biochemical constituents of Cymbopogon citratus leaf: prospects on total corrosion of concrete steel-reinforcement in acidic-sulphate medium, in: TMS 2017 146th Annual Meeting & Exhibition Supplemental Proceedings, Cham, Springer, 2017, pp. 341–351, doi:10.1007/978-3-319-51493-2\_32.
- [37] M.A. Deyab, M.M. Osman, A.E. Elkholy, F.E.T. Heakal, Green approach towards corrosion inhibition of carbon steel in produced oilfield water using lemongrass extract, RSC Adv. 7 (2017) 45241–45251, doi:10.1039/c7ra07979f.
- [38] E. Korenblum, F.R. de Vasconcelos Goulart, I. de Almeida Rodrigues, F. Abreu, Lins U., P.B. Alves, A.F. Blank, É. Valoni, G.V. Sebastián, D.S. Alviano, C.S. Alviano, Antimicrobial action and anti-corrosion effect against sulfate reducing bacteria by lemongrass (Cymbopogon citratus) essential oil and its major component, the citral, AMB Express 3 (2013) 44, doi:10.1186/2191-0855-3-44.
- [39] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Morinda lucida effects on steel-reinforced concrete in 3.5% NaCl: implications for corrosion-protection of windenergy structures in saline/marine environments, Energy Procedia 50 (2014) 421–428, doi:10.1016/j.egypro.2014.06.051.
- [40] J.O. Okeniyi, A.P.I. Popoola, C.A. Loto, Corrosion-inhibition and compressive-strength performance of *Phyllanthus muellerianus* and triethanolamine on steel-reinforced concrete immersed in saline/marine simulating-environment, Energy Procedia 119 (2017) 972–979, doi:10.1016/j.egypro.2017.07.130.
- [41] J.O. Okeniyi, O.A. Omotosho, A.P.I. Popoola, C.A. Loto, *Phyllanthus muellerianus* and C<sub>6</sub>H<sub>15</sub>NO<sub>3</sub> synergistic effects on 0.5 M H2SO4-immersed steelreinforced concrete: implication for clean corrosion-protection of wind energy structures in industrial environment, in: AIP Conference Proceedings, 1758, AIP Publishing, 2016, doi:10.1063/1.4959427.
- [42] M. Sangeetha, S. Rajendran, J. Sathiyabama, A. Krishnaveni, P. Shanthy, N. Manimaran, B. Shyamaladevi, Corrosion inhibition by an aqueous extract of *Phyllanthus amarus*, Portugaliae Electrochim. Acta 29 (2011) 429–444, doi:10.4152/pea.201106429.
- [43] O.K. Abiola, J.O.E. Otaigbe, The effects of Phyllanthus amarus extract on corrosion and kinetics of corrosion process of aluminum in alkaline solution, Corros. Sci. 51 (2009) 2790–2793, doi:10.1016/j.corsci.2009.07.006.
- [44] P.C. Okafor, M.E. Ikpi, I.E. Uwah, E.E. Ebenso, UJ. Ekpe, S.A. Umoren, Inhibitory action of *Phyllanthus amarus* extracts on the corrosion of mild steel in acidic media, Corros. Sci. 50 (2008) 2310–2317, doi:10.1016/j.corsci.2008.05.009.
- [45] J.O. Okeniyi, O.A. Omotosho, E.T. Okeniyi, A.S. Ogbiye, Anticorrosion performance of Solanum aethiopicum on steel-reinforcement in concrete immersed in industrial/microbial simulating-environment, in: TMS 2016 145th Annual Meeting & Exhibition, Cham, Springer, 2016, pp. 409–416, doi:10.1007/ 978-3-319-48254-5\_49.
- [46] J.O. Okeniyi, A.S. Ogbiye, O.O. Ogunlana, E.T. Okeniyi, O.E. Ogunlana, Investigating Solanum aethiopicum leaf-extract and sodium-dichromate effects on steel-rebar corrosion in saline/marine simulating-environment: implications on sustainable alternative for environmentally-hazardous inhibitor, in: Engineering Solutions for Sustainability, Cham, Springer, 2015, pp. 167–175, doi:10.1007/978-3-319-48138-8\_16.
- [47] N.O. Obi-Egbedi, I.B. Obot, S.A. Umoren, Spondias mombin L. as a green corrosion inhibitor for aluminium in sulphuric acid: correlation between inhibitive effect and electronic properties of extracts major constituents using density functional theory, Arab. J. Chem. 5 (2012) 361–373, doi:10.1016/ j.arabjc.2010.09.002.
- [48] J.O. Okeniyi, O.A. Omotosho, C.A. Loto, A.P.I. Popoola, Anticorrosion and adsorption mechanism of Rhizophora mangle L. leaf-extract on steelreinforcement in 3.5% NaCl-immersed concrete, in: Proceedings of the 3rd Pan American Materials Congress, Cham, Springer, 2017, pp. 167–178, doi:10.1007/978-3-319-52132-9\_17.
- [49] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Modelling Rhizophora mangle L. bark-extract effects on concrete steel-rebar in 0.5 M H<sub>2</sub>SO<sub>4</sub>: implications on concentration for effective corrosion-inhibition, in: TMS 2015 144th Annual Meeting & Exhibition, Cham, Springer, 2015, pp. 751–758, doi:10.1002/ 9781119093466.ch92.
- [50] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, *Rhizophora mangle* L. effects on steel-reinforced concrete in 0.5 M H2SO4: implications for corrosion-degradation of wind-energy structures in industrial environments, Energy Procedia 50 (2014) 429–436, doi:10.1016/j.egypro.2014.06.052.
- [51] O.A. Omotosho, J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, C.E. Obi, O.O.O. Sonoiki, A.B. Oni, A.S. Alabi, A.E. Olarewaju, Performance of *Terminalia catappa* on mild steel corrosion in HCl medium, in: AIP Conference Proceedings, 1758, AIP Publishing, 2016, doi:10.1063/1.4959423.
- [52] O.S. Shehata, LA. Korshed, A. Attia, Green corrosion inhibitors, past, present, and future, Corrosion Inhibitors, Principles and Recent Applications, InTech, 2018, doi:10.5772/intechopen.72753.
- [53] J.O. Okeniyi, A.P.I. Popoola, Understanding eco-friendly anticorrosion prospect on steel-reinforcement in NaCl-immersed concrete from biochemical characterization of *Irvingia gabonensis* leaf, Contrib. Pap. Mater. Sci. Technol. 2017 (MS&T17) (2017) 1070–1077, doi:10.7449/2017mst/2017/mst\_2017\_ 1070\_1077.
- [54] S. Mo, H.Q. Luo, N.B. Li, Plant extracts as "green" corrosion inhibitors for steel in sulphuric acid, Chem. Pap. 70 (2016) 1131–1143, doi:10.1515/ chempap-2016-0055.
- [55] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Effects of Phyllanthus muellerianus leaf-extract on steel-reinforcement corrosion in 3.5% NaCl-immersed concrete, Metals 6 (2016) 255, doi:10.3390/met6110255.
- [56] J.O. Okeniyi, E.T. Okeniyi, T.F. Owoeye, Bio-characterisation of Solanum aethiopicum leaf: prospect on steel-rebar total-corrosion in chloridecontaminated-environment, Prog. Ind. Ecol. 10 (2016) 414–426, doi:10.1504/pie.2016.10004755.
- [57] J.O. Okeniyi, O.O. Ogunlana, O.E. Ogunlana, T.F. Owoeye, E.T. Okeniyi, Biochemical characterisation of the leaf of *Morinda lucida*: prospects for environmentally-friendly steel-rebar corrosion-protection in aggressive medium, in: TMS 2015 144th Annual Meeting & Exhibition, Cham, Springer, 2015, pp. 637–644, doi:10.1007/978-3-319-48127-2\_78.
- [58] G. Cui, J. Guo, Y. Zhang, Q. Zhao, S. Fu, T. Han, S. Zhang, Y. Wu, Chitosan oligosaccharide derivatives as green corrosion inhibitors for P110 steel in a carbon-dioxide-saturated chloride solution, Carbohydr. Polym. 203 (2019) 386–395, doi:10.1016/j.carbpol.2018.09.038.
- [59] X. Zhou, H. Yang, F. Wang, Investigation on the inhibition behavior of a pentaerythritol glycoside for carbon steel in 3.5% NaCl saturated Ca(OH)<sub>2</sub> solution, Corros. Sci. 54 (2012) 193–200, doi:10.1016/j.corsci.2011.09.018.
- [60] J. Coates, Interpretation of infrared spectra, a practical approach, in: R.A. Meyers (Ed.), Encyclopedia of Analytical Chemistry, 2000, pp. 10815–10837, doi:10.1002/9780470027318.a5606.
- [61] J.O. Okeniyi, E.T. Akinlabi, J.O. Ikotun, S.A. Akinlabi, E.T. Okeniyi, M.E. Ojewumi, *Rhizophora mangle L.* leaf biochemical characterization: natural-green total-corrosion inhibition prospect on concrete steel-reinforcement in 3.5% NaCl, J. Teknol. 81 (2019) 11–21, doi:10.11113/jt.v81.10468.
- [62] J.O. Okeniyi, C.A. Loto, A.P.I. Popoola, Corrosion inhibition performance of *Rhizophora mangle* L. bark-extract on concrete steel-reinforcement in industrial/microbial simulating-environment, Int. J. Electrochem. Sci. 9 (2014) 4205–4216.
- [63] M. Prabakaran, S. Ramesh, V. Periasamy, Inhibitive properties of a phosphonate-based formulation for corrosion control of carbon steel, Res. Chem. Intermed. 39 (2013) 3507–3524, doi:10.1007/s11164-012-0858-5.
- [64] Y.-C. Ning, Interpretation of Organic Spectra, John Wiley & Sons (Asia) Pte Ltd, Singapore, 2011, doi:10.1002/9780470825181.
- [65] D.W. Mayo, F.A. Miller, R.W. Hannah, Course Notes on the Interpretation of Infrared and Raman Spectra, John Wiley & Sons Inc., Hoboken, New Jersey, 2004, doi:10.1002/0471690082.
- [66] R.W. Hannah, F.A. Miller, Characteristic frequencies of molecules with triple bonds and cumulated double bonds, in: D.W. Mayo, F.A. Miller, R.W. Han-

nah (Eds.), Course Notes on the Interpretation of Infrared and Raman Spectra, John Wiley & Sons, Inc., Hoboken, New Jersey, 2004, pp. 85–99, doi:10.1002/0471690082.ch4.

- [67] R.W. Hannah, Groups containing N=O bonds, or Si, P, S, or Halogen atoms, in: D.W. Mayo, F.A. Miller, R.W. Hannah (Eds.), Course Notes on the Interpretation of Infrared and Raman Spectra, John Wiley & Sons, Inc., Hoboken, New Jersey, 2004, pp. 217–260, doi:10.1002/0471690082.ch9.
- [68] H. Allal, Y. Belhocine, E. Zouaoui, Computational study of some thiophene derivatives as aluminium corrosion inhibitors, J. Mol. Liq. 265 (2018) 668-678, doi:10.1016/j.molliq.2018.05.099.
- [69] L. Hamadi, S. Mansouri, K. Oulmi, A. Kareche, The use of amino acids as corrosion inhibitors for metals: a review, Egypt. J. Pet. (2018) In press, doi:10.1016/j.ejpe.2018.04.004.
- [70] P. Mourya, S. Banerjee, M.M. Singh, Corrosion inhibition of mild steel in acidic solution by Tagetes erecta (Marigold flower) extract as a green inhibitor, Corros. Sci. 85 (2014) 352-363, doi:10.1016/j.corsci.2014.04.036.