

Index

3GPP LTE 343-344, 358-359

A

abstraction 2-3, 11, 53, 136, 138-145, 148, 170
 Adaptive Neuro-Fuzzy Inference System (ANFIS)
 343, 345, 358
 Additive White Gaussian Noise (AWGN) 172-173,
 178, 180, 186-188, 278, 401, 404
 algorithmic simulation method 134
 a priori data 279, 283-284, 287-288, 291
 arrival curve 52-53, 62
 Artificial Neural Network (ANN) 345, 361-362,
 367, 369-373
 axioms 8

B

ball mass variation 369
 BB84 protocol 317-320, 322, 326, 333
 bit binary images
 elements 210, 212-219, 221-222, 224-230, 232-
 234, 236-237, 241, 282-283, 285-286, 288-291,
 293-297, 300, 302
 bit error probability (BER) 168
 breakdown 151, 153-162
 BT-45 144
 burstiness 53-55, 61, 69, 132

C

Carrier Sense Multiple Access with Collision Detec-
 tion (CSMA/CD) 49-50, 70, 122, 133
 Case-Based Reasoning (CBR) 73, 76, 79-80, 82, 85,
 91, 95-96, 180, 305-311, 313, 347, 349-350
 channel characterization 257-259, 273-274, 277
 clean waves (CW) 98
 Company MagiQ Technologies 317
 confidential data 315-316
 congestion collapse 117, 119, 134

constant
 bit rate 305-306, 308
 delay line 55-56, 58-60
 convex optimization 252, 255
 cooperative communication 242, 253, 255
 cross-layer
 design 390-392, 407-410
 optimization 390-392, 396-397, 400-401, 405-
 406, 408-410

D

data
 streaming 169
 transfer 116-120, 122-123, 126, 128, 130-131,
 134, 168, 180, 316, 323
 transmission 117, 119-120, 125-126, 134, 173,
 175, 183, 315-316, 396, 407-408, 410
 decode-and-forward 242, 244, 250-251
 delay packet 47, 58, 60, 65
 Destination Sequenced Distance Vector (DSDV)
 307, 311-312
 Digital Half-Tone Images (DHTI) 207-212, 219-
 222, 227-229, 234-238, 241, 278-279, 283-288,
 291-296, 300, 302-303
 nonlinear filtering 278
 video sequences 207-210, 228, 234-238, 302
 direct task 7
 Donetsk National Technical University 116, 130
 Dynamic Source Routing (DSR) 305-308, 311-313

E

effective bandwidth capacity 118-119, 122-125, 127,
 131, 134
 e-learning 71-80, 82, 86-87, 90-96
 endogenous variables 5
 end-to-end delay 47-49, 51, 53, 65, 67, 69, 305-306,
 308, 311, 313
 eNodeB 343, 347-351, 353-357

Index

Erlang distribution 155
error packetization 194, 196-197, 202
Evolved Packet System (EPS) 344-345
exogenic variables 5

F

fading channel 172, 188, 242, 253-254, 275-276, 394-396
fast fading 395
feed forward network 367-368
filter 136-138, 141-144, 148, 211, 241, 283, 285-287, 292, 294-295, 301, 303
Finding Content Suitability (FCS) 71, 79, 90
First-Come-First-Served (FCFS) 56, 58-59, 61
 multiplexer 56
 queue 56, 61
flat fading 393, 395
formalized schematics 6-7
fractal 16-21, 24, 32-35, 42-46, 97-100, 103-106, 108-115
 function 98-99, 108, 114
 masking 109-113
 traffic 33
Fractional Brownian Motion (FBM) 24, 34-35, 37
frame collision 123, 134
Free Open Source code Software (FOSS) 178-179
frequency
 compression 97, 105-107, 110-112
 selective fading 395
Friis formula 260
functional model 4
fuzzy logic 343, 345-346, 358, 362

G

gamma distribution 155, 244, 376
Gilbert-Elliot model 173
Gilbert Model 172
Graphical Models (GM) 4

H

H.264/AVC 167, 170, 174, 183, 202-205
Hausdorff dimension 17, 19-21, 30, 115
HOST unit 120-122
hysteresis 343, 353-358

I

id 3000 Clavis system 321-322, 341
IEEE 802.3 49-50
industrial organization 149
Information Communication Systems and Networks (ICSN) 1, 16, 149
Intensive Care Unit (ICU) 136-137, 140-141, 146
 monitor data 137, 146
Internet meltdown 117, 119, 134
interpretation 4, 12, 54, 98, 103, 135-138, 140-141, 143-145, 148, 239, 279, 322, 386
INTERPRETOR software 135-137, 141, 144-145
isomorphism 1-3

K

key rate 331, 334

L

Lagrange formulation 363
leaky bucket algorithm 53-54
learning algorithm 347
Learning Management Systems (LMS) 72
Legendre transform 24-25, 30, 43
Lena 221-222
Line-of-Sight (LOS) 260-261
load balancing 343-344, 347, 350-353, 355-359
Local Area Networks (LANs) 47-51, 58, 65-67, 69-70, 118, 120, 122, 127, 131, 391, 408-409
 switched 47, 49, 51, 69

M

Mach-Zehnder interferometer 318-320
Magnetic levitation 361-365, 367-371, 373-374
markov chain
 BBI formation 218
 Digital Half-Tone Images (DHTI) 227-228
Markov chain 149-150, 161, 167, 194, 197, 210-215, 217-218, 221, 224-225, 227, 229, 236-241, 279
Markovian Process (MP) 170, 177, 184, 186, 207-210, 232-233, 236, 241, 278, 280-283, 285
 discrete value 279
Mathematical Models (MM) 3-4, 207-211, 213-215, 221, 227, 231, 236, 238, 241, 288, 302-303

matrix of transition probability (MTP) 241, 279, 281-282, 285-286, 292, 294
 Maximal a posteriori probability (MAP) 241
 maximum
 delay model 48, 57-60, 65
 weighted capacity 390-391, 399
 Mean opinion Score (MOS) 176, 181-182, 184, 187-191, 193, 201-202
 meteorological stations 379
 m-learning 72, 74-76, 78-79, 86, 91, 96
 Mobile Ad Hoc Network (MANET) 305-308, 311-313
 moment generation 242, 244, 252
 Monte-Carlo simulations 242
 multi-antenna 205, 242, 244, 252-255
 multifractal 16-25, 28, 30, 32-35, 37-38, 40, 42-45, 132
 traffic 32
 multipath 178, 257, 276-277, 393-395, 397
 multiplexing 59, 204, 348, 390-391, 393, 407-408, 410
 Multi-Wall-Floor (MWF) model 265-270

N

Nakagami-m fading channels 242-244, 247, 249-250, 252-255
 network
 calculus 48, 52, 54, 68
 layer 16, 43, 117-119, 130, 166, 187
 Network Adaptation Layer (NAL) 170-171
 Network Simulator 2 (NS-2) 178
 neural network 93, 343, 345-346, 351, 361-362, 367, 370-371, 373-374, 388
 noise immunity 278, 285, 287, 293, 295
 nonlinear filtering 210, 221, 240, 278-279, 282, 285-288, 291, 295, 297, 300, 302-304
 Non-symmetric half-plane (NSHP) 241

O

One-sided Markov random field (OSMRF) 241
 optical fiber 316, 321, 332, 334, 341
 Orthogonal Frequency Division Multiplexing (OFDM) 390-394, 396-401, 404-410
 oscillations 24, 97-99, 108-112
 outage probability 242-244, 247-253, 255, 263-264, 270

P

path loss 256-262, 264-268, 270, 273-276
 indoor 257, 259, 262, 273
 pattern mining 135, 144-145, 148
 phase coding 314, 316-317, 320, 322-323, 326, 331, 341
 photons 316-321, 323, 326-328, 331-332
 physical layer 62, 68, 118-120, 133, 171, 173-174, 187, 331, 358-359, 391-392, 396-401, 406
 probability
 density function 182, 245, 262
 distribution 3, 7, 33, 161, 182, 377-378
 productivity 13, 33, 117, 119, 130, 149-153, 156-158, 162-164
 PSNR value 181-182, 187-189, 191, 193
 purelin 373

Q

Quality of Service (QoS) 33, 36, 51-52, 70, 166, 168, 171-172, 175-176, 182-183, 203, 343, 347, 390-391, 396-397, 399-404, 406-410
 traffic 390, 401, 404, 406
 quantum
 cryptography 314, 316-317, 319, 331-332, 338-339, 341-342
 key distribution 314, 316-317, 323, 327, 331-332, 334, 341-342
 queue
 performance 16-17, 32-35, 37-38, 43-44
 tail 35-37
 theory 52, 68, 149, 152-154, 162, 164
 Quintessence Labs Pty Ltd 317

R

Radio Receiver Devices (RRD) 241, 278-281, 283-287, 292-293, 295, 301-302
 Real-Time Control Protocol (RTCP) 171
 Real-Time Streaming Protocol (RTSP) 171, 205
 Real-time Transmission protocol (RTP) 170-171, 186-188, 193, 200, 205
 receiver buffer 56, 58
 relay networks 242, 244, 252-255
 renewable energy 376, 388-389
 Resource Reservation Protocol (RSVP) 171
 reverse task 8
 Root Mean Square Error (RMSE) 181, 380, 386

Index

S

schematic model 4
selection combining 253, 255
Self-Organizing Networks (SON) 343-344, 409
shadow fading 256, 262-264, 270, 274-277, 347-348
shadowing 244, 251, 257-258, 262-266, 268-275, 277
 deviation 257, 263, 265-266, 268-273
sight-impaired learner 71
Signal-to-Noise-Ratio (SNR) 206, 242-245, 249-250, 252, 255, 272, 401-406, 410
SIMUL8 157-160, 163
SIMULINK 119-120, 122-123, 132, 361-362, 365, 367, 373
single-photon avalanche detector (SPAD) 318
sinusoidal input 361, 371-372
slow fading 396
soft computing 146, 343, 359
software architecture 92, 135-137, 141, 144-148
state feedback controller 361-362, 364, 366-367, 373
stealthiness transmission 98, 109
step input 361, 367, 370
stochastic breakdown 149-150
streaming traffic 167-168, 202
structural model 4
subcarrier allocation 398, 400-401
switched Ethernet 50, 52, 66-70
symbol error probability 247, 255

T

tansig 373
TCP/IP protocol 116, 118, 124, 131
telecommunication 16-17, 25, 32-33, 43, 166, 176, 258, 274, 312, 316, 341-342, 376
temporal
 inferencing 138, 148
 interpolation 138, 148
traffic
 model 306-308, 311
 stream 54, 61

Transmission Control Protocols (TCP) 116-119, 122, 124, 127-128, 131-134, 171, 180, 305-308, 310-313, 390-391, 409-410
transport layer 118-120, 122, 124, 170-171, 187
truncation 103

V

variable bit rate 305-308
Vehicular Ad Hoc Network (VANET) 305-308, 311, 313
vicinity 211-214, 216-218, 221-227, 229, 232, 234, 236-238, 293, 297, 301
Video Coding Layers (VCL) 170-171
video-sequence 174, 177, 184, 194, 202-203, 209, 222, 224, 227, 229, 234, 237-238, 241, 295-296, 300-303
video streaming 14, 166-167, 175, 186, 201-203, 409
visually impaired learner 79
Voice-enabled Framework for Recommender and Adaptation (VeFRA) 71, 73, 75, 79-87, 89-90
Voice eXtensible Mark-up Language (VoiceXML) 71-74, 76, 84-85, 89, 91-94, 96
voice messages 97-98, 109, 112
Voice User Interface (VUI) 72

W

Wavelet Transform Modulus Maxima (WTMM) 16, 23-24, 26, 30
Weibull distribution 35, 155, 377, 388
Weierstrass function 97, 99-100, 103, 106, 115
wideband signals 97, 113
wind
 profile 375, 377, 381, 387
 speed 376-382, 384, 386-388
wind energy 375-377, 380-384, 386-389
 flux density 377, 380, 384, 387
 Nigeria 375
wireless broadband 166, 194, 392
 error models 171, 202
workload 34-35, 117-118, 122-129, 134, 151, 162