

SpringerLink

TMS 2020 149th Annual Meeting & Exhibition Supplemental Proceedings pp 1341-1348 | Cite as

Comparative Assessment of the Fracture Behaviour of API-5L X65 and Micro-alloyed Steels in E80 Simulated Fuel Ethanol Environment

Authors

Authors and affiliations

O. O. Joseph Email author S. Sivaprasad, S. TarafderJ. A. Ajayi

Conference paper

First Online: 12 February 2020

Downloads

Part of the The Minerals, Metals & Materials Series book series (MMMS)

Abstract

Monotonic J-integral tests were carried out on API-5L X65 steel and micro-alloyed steel (MAS) in E80 simulated fuel grade ethanol (SFGE) environment using three-point bend specimens. A ramp rate of 10–04 mm/s was used for loading in each sequence so as to enhance stress corrosion cracking (SCC) influence if any. The influence of the SFGE environment on tearing resistance and fracture toughness of the steels was studied. Both steels exhibited decrease in fracture toughness in E80 in relation to air. The decrease in fracture toughness may be due to anodic dissolution at the crack tip. Ductile tearing resistance of the steels increased in E80 due to decline in toughness property. In comparison with X65 steel, MAS showed better fracture properties.

Keywords

J-integral Fracture SFGE E80 Steels

This is a preview of subscription content, log in to check access.

Notes

Acknowledgements

The authors acknowledge the Council for Scientific and Industrial Research, India and The World

Academy of Sciences, Italy, for funding this work. Covenant University is acknowledged for open access funding.

## References

1.

Highina BK, Bugaje IM, Umar B (2012) Liquid biofuels as alternative transport fuels in Nigeria. *Pet Tech Dev J* 1:1–15

Google Scholar

2.

Munoz M, Moreno F, Morea J (2004) Emissions of an automobile diesel engine fuelled with sunflower methyl ester. *Trans Americ Soc Agric Biol Eng* 47(1):5–11. <https://doi.org/10.13031/2013.15859>

CrossRefGoogle Scholar

3.

Dominic R, Rainer J (2007) *Biofuels technology handbook*. Sylvesterstr. 81369 Munchen, Germany: WIP Renewable Energies

Google Scholar

4.

Micic V, Jotanovic M (2015) Bioethanol as fuel for internal combustion engines. *Zastita Mater* 56(4):403–408. <https://doi.org/10.5937/ZasMat1504403M>

CrossRefGoogle Scholar

5.

Sridhar N, Gui F, Beavers JA, James J (2010) Biofuels infrastructure, managing in an uncertain future (DNV Research and Innovation—Position Paper 03). Det Norske Veritas, Hovik, Norway

Google Scholar

6.

Kane RD, Sridhar N, Brongers M, Beavers JA, Agarwal AK, Klein L (2005) Stress corrosion cracking in fuel ethanol: a recently recognized phenomenon. *Mater Perform* 44(12):50–55. Retrieved from <http://www.asminternational.org>

7.

Quickel G, Beavers J, Gui F, Sridhar N (2012) Effects of fuel grade ethanol on pump station and terminal facilities. *Materials Challenges in Alternative and Renewable Energy II: Cer. Trans.* 239:89–104 (Wicks G, Simon J, Zidan R, Brigmon R, Fischman G, Arepalli S, Norris A, McCluer M eds), Wiley, Inc., Hoboken, NJ, USA. <https://doi.org/10.1002/9781118585160.ch9>

8.

Ertekin A, Sridhar N (2010) Effects of sequential fuel transitions from ethanol blends to neat gasoline on the performance of polymeric materials subjected to static loading. Paper presented at the NACE International Annual Corrosion Conference, San Antonio, Texas

Google Scholar

9.

API Bulletin 939E (2013) Identification, repair, and mitigation of cracking of steel equipment in fuel ethanol service (2nd edn)

Google Scholar

10.

Joseph OO Corrosion and fracture behaviour of API-5L X65 and Micro-alloyed steels in fuel ethanol environments (Ph.D. thesis, Covenant University, 2016)

Google Scholar

11.

ASTM E8 M-15a (2015) Standard test method for tension testing of metallic materials. West Conshohocken, PA, USA, ASTM International

Google Scholar

12.

ASTM D-4806-01a (2001) Annual book of ASTM standards. West Conshohocken, PA, USA, ASTM International

Google Scholar

13.

ASTM E1820-08a (2008) Standard test method for measurement of fracture toughness. West Conshohocken, PA, USA, ASTM International

Google Scholar

14.

Joseph OO, Loto CA, Sivaprasad S, Ajayi JA, Tarafder S (2016) Role of chloride in the corrosion and fracture behavior of micro-alloyed steel in E80 simulated fuel grade ethanol environment. *Materials* 9:463

CrossRefGoogle Scholar

15.

Sato N (2011) Basics of corrosion chemistry. *Green Corros Chem Eng Oppor Chall*.  
<https://doi.org/10.1002/9783527641789.ch1>

CrossRefGoogle Scholar

Copyright information

© The Minerals, Metals & Materials Society 2020

About this paper

CrossMark

Cite this paper as:

Joseph O.O., Sivaprasad S., Tarafder S., Ajayi J.A. (2020) Comparative Assessment of the Fracture Behaviour of API-5L X65 and Micro-alloyed Steels in E80 Simulated Fuel Ethanol Environment. In: The Minerals, Metals & Materials Society (eds) TMS 2020 149th Annual Meeting & Exhibition Supplemental Proceedings. The Minerals, Metals & Materials Series. Springer, Cham

First Online

12 February 2020

DOI

[https://doi.org/10.1007/978-3-030-36296-6\\_124](https://doi.org/10.1007/978-3-030-36296-6_124)

Springer, Cham

Print ISBN

978-3-030-36295-9

Online ISBN

978-3-030-36296-6

EUR 213.99

[Buy paper \(PDF\)](#)

EUR 24.95

[Home](#) [Impressum](#) [Legal information](#) [Privacy statement](#) [How we use cookies](#) [Cookie settings](#) [Accessibility](#)  
[Contact us](#)

Springer Nature

© 2020 Springer Nature Switzerland AG. Part of Springer Nature.