



ELSEVIER

Contents lists available at ScienceDirect

Data in Brief

journal homepage: www.elsevier.com/locate/dib

Data Article

Heavy metals' data in soils for agricultural activities

T.A. Adagunodo^{a,*}, L.A. Sunmonu^b, M.E. Emetera^a^a Department of Physics, Covenant University, Ota, Nigeria^b Department of Pure and Applied Physics, Ladoko Akintola University of Technology, Ogbomosho, Nigeria

ARTICLE INFO

Article history:

Received 9 April 2018

Accepted 27 April 2018

Available online 5 May 2018

Keywords:

Agricultural soils

Heavy metals

Contamination

Environment

Soil screening

Geostatistics

ABSTRACT

In this article, the heavy metals in soils for agricultural activities were analyzed statistically. Ten (10) soil samples were randomly taken across the agricultural zones in Odo-Oba, southwestern Nigeria. Ten (10) metals; namely: copper (Cu), lead (Pb), chromium (Cr), arsenic (As), zinc (Zn), cadmium (Cd), nickel (Ni), antimony (Sb), cobalt (Co) and vanadium (V) were determined and compared with the guideline values. When the values were compared with the international standard, none of the heavy metals in the study area exceeded the threshold limit. However, the maximum range of the samples showed that Cr and V exceeded the permissible limit which could be associated with ecological risk. The data can reveal the distributions of heavy metals in the agricultural topsoil of Odo-Oba, and can be used to estimate the risks associated with the consumption of crops grown on such soils.

© 2018 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY license

(<http://creativecommons.org/licenses/by/4.0/>).

Specifications Table

Subject area	<i>Earth Planetary Science</i>
More specific subject area	<i>Environmental Geophysics, Geochemistry, Soil Science</i>
Type of data	<i>Table and figure</i>
How data was acquired	<i>Inductively Coupled Plasma Mass Spectrometry</i>

* Corresponding author.

E-mail address: theophilus.adagunodo@covenantuniversity.edu.ng (T.A. Adagunodo).

<https://doi.org/10.1016/j.dib.2018.04.115>

2352-3409/© 2018 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

Data format	<i>Raw and analyzed</i>
Experimental factors	<i>Agricultural soils were randomly taken for heavy metal analysis</i>
Experimental features	<i>The ten metals as stated in the abstract were analyzed statistically and compared with the guideline values</i>
Data source location	<i>Odo-Oba, Southwestern Nigeria</i>
Data accessibility	<i>All the data are in this article</i>

Value of the data

- The data would give insight on the concentrations of heavy metals in the agricultural soils of the study area.
- The data from this study could be used to study the relationships between the subsurface heavy metals and the rate of germination as well as productivity of the crops in the study area.
- The study could be used to predict appropriate crops that could easily survive on the agricultural soils.
- The data could be used for soil screening and to measure the food security strength in the environment.

1. Data

The data contains the geoexploration and geostatistical analysis of heavy metals in agricultural soils of Odo-Oba, southwestern Nigeria. Ten (10) samples were randomly collected for heavy metal analysis. Heavy metals are the metallic elements which exhibit relatively high density when compared with the density of water. The toxicity of heavy metals ranged from the route of exposure to the doses received [1]. In this article, ten (10) metals which are significant to the public health have been analyzed. The variables are: copper (Cu), lead (Pb), chromium (Cr), arsenic (As), zinc (Zn), cadmium (Cd), nickel (Ni), antimony (Sb), cobalt (Co) and vanadium (V). The results of the heavy metals from the study area are presented in Table 1. The data were compared with the international regulatory standard [2], which is presented in Table 2. The standards in Table 2 are grouped under threshold and permissible limits. These limits have been applied across the globe to measure the heavy metal contents in agricultural soils [3]. The threshold limit is used to checkmate the minimum toxicity in all soils environment. The permissible limit is applicable to the agricultural soils. If the values of the heavy metals exceed the permissible limit, such soil is regarded as contaminated soils for agricultural activities [1,2,4,5]. It is either associated with health risk (hr) or ecological risk (er). However, descriptive analyses were further used to explore the heavy metals' results, which are presented in Tables 3a and 3b.

Table 1
Heavy metals in Odo-Oba.

Samples	Variables (mg kg ⁻¹)									
	Cu	Pb	Cr	As	Zn	Cd	Ni	Sb	Co	V
Soil1	6.43	25.88	43.00	2.40	29.40	0.02	10.20	0.11	6.80	34.00
Soil2	5.26	20.89	31.00	1.70	29.00	0.02	9.30	0.09	6.80	24.00
Soil3	5.32	22.21	23.00	2.20	24.10	0.03	7.90	0.06	6.80	27.00
Soil4	10.06	30.90	44.00	2.50	61.30	0.05	15.20	0.15	13.00	40.00
Soil5	5.69	19.13	26.00	1.60	25.80	0.04	9.40	0.27	6.80	27.00
Soil6	3.91	18.99	24.00	1.70	31.90	0.03	8.20	0.16	6.30	22.00
Soil7	7.01	43.89	69.00	2.00	24.90	0.03	18.10	0.07	11.90	45.00
Soil8	20.69	40.15	341.00	3.50	31.00	0.06	31.80	0.16	17.90	124.00
Soil9	19.51	31.63	125.00	3.70	31.50	0.02	26.50	0.14	19.10	89.00
Soil10	7.51	30.07	86.00	2.70	22.80	0.03	15.80	0.07	10.50	45.00

Table 2
Threshold and permissible limits for heavy metals in soils.

Variables	Threshold limit (mg kg ⁻¹) [1,2]	Permissible limit (mg kg ⁻¹) [1,2]	Present Study (mg kg ⁻¹)	
			Range	Mean
Cu	100.0	50.0 (er)	3.91–20.69	9.14
Pb	60.0	200.0 (hr)	18.99–43.89	28.37
Cr	100.0	200.0 (er)	23.00–341.00	81.20
As	5.0	50.0 (er)	1.60–3.70	2.40
Zn	200.0	250.0 (er)	22.80–61.30	31.17
Cd	1.0	10.0 (er)	0.02–0.06	0.03
Ni	50.0	100.0 (er)	7.90–31.80	15.24
Sb	2.0	10.0 (hr)	0.06–0.27	0.13
Co	20.0	100.0 (er)	6.30–19.10	10.59
V	100.0	150.0 (er)	22.00–124.00	47.70

Note: The risk associated with higher concentrations greater than the permissible limits are grouped into ecological risk (er) and health risk (hr).

Table 3a
Descriptive statistics results for heavy metals (SET A).

Var.	N	Mean	SD	SEM	Variance	Sum	Skew	Kurt	USS	CSS	CV	MAD
Cu	10	9.14	6.01	1.91	36.14	91.39	1.49	0.81	1160.44	325.23	0.66	4.57
Pb	10	28.37	8.65	2.73	74.78	283.74	0.67	- 0.55	8723.85	673.02	0.30	6.95
Cr	10	81.20	96.99	30.67	9406.18	812.00	2.56	7.01	150590.0	84655.6	1.19	61.68
As	10	2.40	0.73	0.23	0.54	24.00	0.81	- 0.35	62.42	4.82	0.30	0.56
Zn	10	31.17	11.08	3.50	122.72	311.70	2.66	7.75	10820.21	1104.52	0.36	6.24
Cd	10	0.03	0.01	0.004	1.79 E-4	0.33	1.06	0.46	0.01	0.002	0.41	0.01
Ni	10	15.24	8.22	2.60	67.53	152.40	1.18	0.44	2930.32	607.74	0.54	6.25
Sb	10	0.13	0.06	0.02	0.004	1.28	1.20	1.88	0.20	0.04	0.49	0.05
Co	10	10.59	4.82	1.52	23.25	105.90	0.90	- 0.58	1330.73	209.25	0.46	3.91
V	10	47.70	33.11	10.47	1096.46	477.00	1.77	2.55	32621.00	9868.10	0.69	23.52

Table 3b
Descriptive statistics results for heavy metals (SET B).

Var.	N	GM	GSD	Mode	SW	Min	Im	Q1	Median	Q3	Max	IM	IR	Range
Cu	10	7.82	1.74	-	10	3.91	7	5.32	6.72	10.06	20.69	9	4.74	16.78
Pb	10	27.25	1.35	-	10	18.99	7	20.89	27.98	31.63	43.89	8	10.74	24.90
Cr	10	24.05	2.37	-	10	23.00	4	26.00	43.50	86.00	341.0	9	60.0	318.0
As	10	2.31	1.34	1.70	10	1.60	6	1.70	2.30	2.70	3.70	10	1.0	2.10
Zn	10	29.92	1.32	-	10	22.80	11	24.90	29.20	31.50	61.30	5	6.60	38.50
Cd	10	0.03	1.46	0.03	10	0.02	2	0.02	0.03	0.04	0.06	9	0.02	0.04
Ni	10	13.57	1.64	-	10	7.90	4	9.30	12.70	18.10	31.80	9	8.80	23.90
Sb	10	0.12	1.61	0.07	10	0.06	4	0.07	0.13	0.16	0.27	6	0.09	0.21
Co	10	9.71	1.54	6.80	10	6.30	7	6.80	8.65	13.00	19.10	10	6.20	12.80
V	10	40.44	1.76	27.0	10	22.0	7	27.00	37.00	45.00	124.0	9	18.0	102.0

2. Experimental design, materials and methods

Exploration of data sets in differs ways have been presented in [6–11]. Studies on the analysis of soils' usability for agricultural purposes could be found in [12–16].

2.1. Study area

The data were taken from the agricultural zones in Odo-Oba, southwestern Nigeria. The study area plays a key role in sustaining the food security of Ogbomoso and its environs. The major occupation of the residents in the study area is fishing and farming. Among the crops being cultivated in Odo-Oba are vegetables, tuber crops, leguminous crops and cereals crops [6]. The climatic conditions of the study area are the same as that of Ogbomoso, which have been discussed in [6,17].

The geology of Odo-Oba is of Precambrian Basement complex [18–23], which is an integral part of African igneous and meta-sedimentary rocks [7]. In Nigeria, two geological terrains, namely: Sedimentary Basins [24–26] and Precambrian Basement complex [27–29] are divided in equal proportion [30,31]. The notable rocks in the study area are quartzite, banded gneiss and granites (Fig. 1).

2.2. Materials and methods

The samples were randomly collected from ten (10) locations, with the labeling ranging from Soil1 to Soil10. The labeled samples were dried under ambient temperature and sieved in order to remove the unwanted materials within the collected samples. The samples were packaged in plastic sock and moved to Canada for procedural analysis. The heavy metals’ analysis was done in ACME Laboratories using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) technique. The standard procedures were followed during samples’ collection [32,33] and analysis stages [34].

2.3. Statistical analysis

The range of each element was shown in Table 2. None of the mean value exceeded the threshold and the permissible limits. The maximum range of the samples showed that Cr and V exceeded the permissible limit which could be associated with ecological risk in the study area. Tables 3a and 3b show the comprehensive descriptive statistics of the data. Twenty-five (25) parameters were used to describe the distribution of the heavy metals in Odo-Oba. The results were presented as Tables 3a and 3b. The population number (N), mean, standard deviation (SD), standard error of mean (SEM),




Fig. 1. Geology and location of Odo-Oba (modified after [3]).

Table 5c
Results from Kendall correlation.

Variables	Cu	Pb	Cr	As	Zn	Cd	Ni	Sb	Co	V
Cu	1	0.7333	0.7778	0.6742	0.0667	0.2981	0.7778	0.1137	0.8355	0.8866
Pb		1	0.6889	0.5843	– 0.0222	0.1491	0.6889	– 0.1137	0.7400	0.7957
Cr			1	0.6293	0.1111	0.0994	0.9111	0.0682	0.6922	0.8411
As				1	0.1348	0.0251	0.5394	– 0.9196	0.6739	0.6897
Zn					1	0.0994	0.1111	0.5229	0.1194	– 0.0227
Cd						1	0.1491	0.2796	0.2402	0.1779
Ni							1	0.1137	0.7400	0.8866
Sb								1	0.0244	0.0000
Co									1	0.7814
V										1

Table 6a
Results of transformation 1.

Variables	Cu	Pb	Cr	As	Zn	Cd	Ni	Sb	Co	V
Cu	0	0.2512	0.0551	0.0719	0.0025	0.0623	0.0356	0.0394	0.0034	0.0065
Pb		0	0.1939	0.1341	0.0760	0.1863	0.0861	0.0450	0.1448	0.2339
Cr			0	0.0386	0.1554	0.4618	0.0824	0.0357	0.1208	0.0235
As				0	0.0518	0.2034	0.1529	0.0426	0.0895	0.0504
Zn					0	0.3082	0.0454	0.4356	0.0613	0.0432
Cd						0	0.2305	0.0209	0.1475	0.2349
Ni							0	0.0856	0.0718	0.0280
Sb								0	0.0285	0.1486
Co									0	0.0165
V										0

(Im), 1st quartile (Q1), median, 3rd quartile (Q3), maximum (Max), index of maximum (IM), Inter-quartile range (IR), and range were presented as the descriptive parameters in the two tables.

Normality tests were further applied to the data sets in order to ensure if the values are modeled from the normal distribution based on the small sample size of the variables. The Lilliefors, Shapiro-Wilk and Kolmogorov-Smirnov normality tests were applied on the data sets. The results are shown in Table 4. In all the three tests, good fitting exist among the variables.

Correlation analyses among the variables were determined in order to visualize the kind of relationships that exist among the analyzed variables using Pearson (Table 5a), Spearman (Table 5b), and Kendall (Table 5c) correlations respectively. The distances between two correlated results were obtained by transforming the results from Tables 5a–5c using Eqs. (1)–(3). The results of these transformations were presented in Tables 6a and 6b. The scatter matrix plot of the correlated variables was shown in Fig. 2. It is a statistical tool that enables the estimation of the covariance matrix [8] (Table 6c).

$$T1 = |P-S| \quad (1)$$

$$T2 = |K-P| \quad (2)$$

$$T3 = |S-K| \quad (3)$$

where T is the transformation, P is the Pearson correlation, S is the Spearman correlation, and K is the Kendall correlation.

Table 6b
Results of transformation 2.

Variables	Cu	Pb	Cr	As	Zn	Cd	Ni	Sb	Co	V
Cu	0	0.1421	0.0701	0.2488	0.1187	0.1063	0.1730	0.0416	0.1122	0.0772
Pb		0	0.0525	0.0194	0.1043	0.2146	0.0917	0.1692	0.0031	0.1210
Cr			0	0.1164	0.1392	0.4954	0.0178	0.0285	0.0624	0.1092
As				0	0.0018	0.2133	0.3309	0.0031	0.2133	0.1925
Zn					0	0.3355	0.0171	0.3061	0.1421	0.0599
Cd						0	0.2905	0.1489	0.1394	0.2960
Ni							0	0.0652	0.2197	0.0866
Sb								0	0.0167	0.0995
Co									0	0.1207
V										0




Fig. 2. Scatter matrix of heavy metals.

Table 6c
Results of transformation 3.

Variables	Cu	Pb	Cr	As	Zn	Cd	Ni	Sb	Co	V
Cu	0	0.1091	0.1253	0.1769	0.1212	0.0440	0.1374	0.0022	0.1087	0.0707
Pb		0	0.1414	0.1148	0.0283	0.0283	0.1778	0.1241	0.1417	0.0113
Cr			0	0.1550	0.0162	0.0337	0.0647	0.0072	0.1832	0.0857
As				0	0.0536	0.0098	0.1780	0.0395	0.1238	0.1421
Zn					0	0.0273	0.0283	0.1296	0.0808	0.0166
Cd						0	0.0600	0.1698	0.0081	0.0611
Ni							0	0.0205	0.1479	0.0586
Sb								0	0.0118	0.0491
Co									0	0.1371
V										0

Acknowledgement

We sincerely appreciate the management of Covenant University, Nigeria for sponsoring the article processing fee of this work.

Transparency document. Supplementary material

Transparency document associated with this article can be found in the online version at [doi:10.1016/j.dib.2018.04.115](https://doi.org/10.1016/j.dib.2018.04.115).

References

- [1] G. Toth, T. Hermann, M.R. Da Silva, L. Montanarella, Heavy metals in agricultural soils of the European Union with implications for food safety, *Environ. Int.* 88 (2016) 299–309.
- [2] UNEP, Environmental risks and challenges of anthropogenic metals flows and cycles, in: E. van der Voet, R. Salminen, M. Eckelman, G. Mudd, T. Norgate, R. Hirschier (Eds.), *A Report of the Working Group on the Global Metal Flows to the International Resource Panel*, 2013, p. 231.
- [3] P.B. Tchounwou, C.G. Yedjou, A.K. Patilola, D.J. Sulton, Heavy metals toxicity and the environment, *EXS* 101 (2012) 133–164.
- [4] C. Carlon, M. D'Alessandro, F. Swartjes, Derivation Methods of Soil Screening Values in Europe: A Review of National Procedures Towards Harmonization, EUR, Scientific and Technical Research Series, Office for Official Publications of the European Communities (2007) 90.
- [5] S.K. Awasthi, *Prevention of Food Adulteration Act No. 37 of 1954. Central and State Rule as Amended for 1999*, third ed., Ashoka Law House, New Delhi, 2000.
- [6] T.A. Adagunodo, L.A. Sunmonu, M.A. Adabanija, E.A. Suleiman, O.A. Odetunmbi, Geoelectrical resistivity tomography in a flood plain of crystalline bedrock, *Data Brief* 15C (2017) 809–820. <http://dx.doi.org/10.1016/j.dib.2017.10.046>.
- [7] T.A. Adagunodo, S. Lüning, O.S. Hamed, J.O. Omidiora, A.P. Aizebeokhai, K.D. Oyeyemi, A.M. Adeleke, Evaluation of $0 \leq M \leq 8$ earthquake data sets in African-Asian Region during 1966–2015, *Data Brief* 17C (2018) 588–603. <http://dx.doi.org/10.1016/j.dib.2018.01.049>.
- [8] T.A. Adagunodo, O.S. Hamed, M.R. Usikalu, W.A. Ayara, R. Ravisankar, Data on the radiometric survey over a Kaolinitic Terrain in Dahomey basin, Nigeria, *Data Brief* 18C (2018) 814–822. <http://dx.doi.org/10.1016/j.dib.2018.03.088>.
- [9] T.A. Adagunodo, A.I. George, I.A. Ojoawo, K. Ojesanmi, R. Ravisankar, Radioactivity and radiological hazards from a Kaolin Mining Field in Ifonyintedo, Nigeria, *MethodsX* 5C (2018) 362–374. <http://dx.doi.org/10.1016/j.mex.2018.04.009>.
- [10] S.A. Akinwumi, T.V. Omotosho, O.A. Odetunmbi, Dataset of surface refractivity in southeast, Nigeria, *Data Brief* 16 (2018) 470–477.
- [11] S.I. Popoola, A.A. Atayero, O.A. Popoola, Comparative assessment of data obtained using empirical models for path loss predictions in a university campus environment, *Data Brief* 18 (2018) 380–393.
- [12] G. Toth, A. Jones, L. Montanarella, LUCAS Topsoil EUR 26102 En, Office for Official Publications of the European Communities, Luxembourg (2013) 141.
- [13] G. Toth, T. Eugen Antofie, A. Jones, B. Apostol, The LUCAS 2012 topsoil survey and derived cropland and grassland soil properties of Bulgaria and Romania, *Environ. Eng. Manag. J.* (2015) (http://omicron.ch.tuiasi.ro/EEMJ/pdfs/accepted/541_91_Toht_14).
- [14] C.C. Ferguson, Assessing risks from contaminated sites: policy and practice in 16 European Countries, *Land Contam. Reclam.* 7 (2) (1999) 33–54.
- [15] A.W. Raymond, F.E. Okieimen, Heavy metals in contaminated soils: a review of sources, chemistry, risks and best available strategies for remediation, *ISRN Ecol.* (2011), <http://dx.doi.org/10.5402/2011/402647> (Article ID 402647).
- [16] M.A. Alghobar, S. Suresha, Evaluation of metal accumulation in soil and tomatoes irrigated with sewage water from Mysore city, Karnataka, India, *J. Saudi Soc. Agric. Sci.* 16 (2017) 49–59.
- [17] L.A. Sunmonu, T.A. Adagunodo, E.R. Olafisoye, O.P. Oladejo, Interpretation of Ground magnetic data in Oke-Ogba Area, Akure, Southwestern Nigeria, *Adv. Appl. Sci. Res.* 3 (5) (2012) 3216–3222.
- [18] L.A. Sunmonu, E.R. Olafisoye, T.A. Adagunodo, I.A. Ojoawo, O.P. Oladejo, Integrated geophysical survey in a refuse dumpsite of Aarada, Ogbomoso, Southwestern Nigeria, *IOSR J. Appl. Phys.* 2 (5) (2012) 11–20.
- [19] E.R. Olafisoye, L.A. Sunmonu, A. Ojoawo, T.A. Adagunodo, O.P. Oladejo, Application of very low frequency electromagnetic and hydro-physicochemical methods in the investigation of groundwater contamination at aarada waste disposal site, Ogbomoso, Southwestern Nigeria, *Aust. J. Basic Appl. Sci.* 6 (8) (2012) 401–409.
- [20] L.A. Sunmonu, E.R. Olafisoye, T.A. Adagunodo, O.A. Alagbe, Geophysical and hydro-physicochemical evaluation of hand-dug wells near a dumpsite in Oyo State, Nigeria, *Arch. Appl. Sci. Res.* 5 (6) (2013) 29–40.
- [21] O.P. Oladejo, L.A. Sunmonu, A. Ojoawo, T.A. Adagunodo, E.R. Olafisoye, Geophysical investigation for groundwater development at Oyo State housing estate Ogbomosho, Southwestern Nigeria, *Res. J. Appl. Sci. Eng. Technol.* 5 (5) (2013) 1811–1815.
- [22] A. Adagunodo, A. Sunmonu, *The Study of Basement Pattern of an Industrial Estate*, ISBN: 978-3-659-35930-9, Published by LAP Lambert Academic Publishing GmbH & Co. KG, Heinrich-Bocking, Str. 6-8, 66121 Saarbrücken, Deutschland, Germany, 2013.
- [23] T.A. Adagunodo, L.A. Sunmonu, A. Ojoawo, O.P. Oladejo, E.R. Olafisoye, The hydro geophysical investigation of Oyo state industrial estate Ogbomosho, Southwestern Nigeria using vertical electrical soundings, *Res. J. Appl. Sci. Eng. Technol.* 5 (5) (2013) 1816–1829.
- [24] K.D. Oyeyemi, A.P. Aizebeokhai, T.A. Adagunodo, O.M. Olofinnade, O.A. Sanuade, A.A. Oloajo, A.A. Subsoil, Characterization using geoelectrical and geotechnical investigations: implications for foundation studies, *Int. J. Civil. Eng. Technol.* 8 (10) (2017) 302–314.
- [25] T.A. Adagunodo, L.A. Sunmonu, M.A. Adabanija, Reservoir characterization and seal integrity of Jemir Field in Niger Delta, Nigeria, *J. Afr. Earth Sci.* 129 (2017) 779–791.
- [26] T.A. Adagunodo, L.A. Sunmonu, M.A. Adabanija, O.P. Oladejo, A.A. Adeniji, Analysis of fault zones for reservoir modeling in taa field, Niger Delta, Nigeria, *Pet. Coal* 59 (3) (2017) 378–388.
- [27] T.A. Adagunodo, A.A. Adeniji, A.V. Erinle, S.A. Akinwumi, O.O. Adewoyin, E.S. Joel, O.T. Kayode, Geophysical investigation into the integrity of a reclaimed open dumpsite for civil engineering purpose, *Interciencia J.* 42 (11) (2017) 324–339.

- [28] T.A. Adagunodo, L.A. Sunmonu, O.P. Oladejo, I.A. Ojoawo, Vertical electrical sounding to determine fracture distribution at Adumasun Area, Oniye, Southwestern Nigeria, *IOSR J. Appl. Geol. Geophys.* 1 (3) (2013) 10–22.
- [29] T.A. Adagunodo, L.A. Sunmonu, Estimation of overburden thickness of industrial estate Ogbomoso, Southwestern Nigeria, *Adv. Appl. Sci. Res.* 3 (5) (2012) 3129–3141.
- [30] L.A. Sunmonu, T.A. Adagunodo, E.R. Olafisoye, O.P. Oladejo, The groundwater potential evaluation at industrial estate Ogbomoso Southwestern Nigeria, *RMZ-Mater. Geoenviron.* 59 (4) (2012) 363–390.
- [31] T.A. Adagunodo, L.A. Sunmonu, O.P. Oladejo, Effect of constructing high-rise buildings without a geophysical survey, *Niger. J. Phys.* (2014) 91–100 (Special Edition September 2014).
- [32] S.K. Sahoo, M. Hosoda, S. Kamagata, A. Sorimachi, T. Ishikawa, S. Tokonami, S. Uchida, Thorium, uranium and rare earth elements concentration in weathered Japanese soil samples, *Prog. Nucl. Sci. Technol.* 1 (2011) 416–419.
- [33] S.K. Sahoo, M. Hosoda, G. Prasad, H. Takahashi, A. Sorimachi, T. Ishikawa, S. Tokonami, S. Uchida, Naturally occurring radionuclides and rare earth elements in weathered Japanese soil samples, *Acta Geophys.* 61 (4) (2013) 876–885. <http://dx.doi.org/10.2478/s11600-013-0131-3>.
- [34] T. Bank, E. Roth, P. Tinker, E. Granite, Analysis of Rare Earth Elements in Geologic Samples using Inductively Coupled Plasma Mass Spectrometry, US DOE Topical Report – DOE/NETL – 2016/1794, 2016.