## Trends in Manufacturing and Engineering Management pp 637–647Cite as

- 1. <u>Home</u>
- 2. Trends in Manufacturing and Engineering Management
- 3. Conference paper

Experimental Study of the Effect of TiN–Zn Coated High-Speed Steel Cutting Tool on Surface Morphology of AL1060 Alloy During Machining Operation

- <u>I. P. Okokpujie</u>,
- <u>C. A. Bolu</u>,
- <u>O. S. Ohunakin</u> &
- Esther Titilayo Akinlabi
- Conference paper
- First Online: 20 August 2020
- 847 Accesses
- 1 <u>Citations</u>

Part of the Lecture Notes in Mechanical Engineering book series (LNME)

# Abstract

In machining operations, surface morphology is a significant parameter in developing mechanical components, as the level of the surface roughness gives the consumer the notion of whether the product is well developed or not. Also, the surface roughness of the mechanical component will affect the component during machining operations. The application of coatings in cutting tools is very significant, as coatings will help in improving the cutting tool life as well as protect it from rapid wear and corrosion rate. This research work focuses on the investigation of the significance of TiN–Zn coatings on high-speed steel (HSS) when compared with non-coated HSS cutting tool on the surface morphology, machining parameters and machining time on 1060 aluminum alloy during the machining operation. Computer numerical control (CNC) program and excel software was employed to investigate the effects the

Coated cutting tool, various depth of cut and such as 1, 1.5, 2, 2.5, and 3 mm and at a constant cutting speed of 1250 rpm, constant feed rate of 10 mm/rev, with machining time varies from 15 to 500 s on the machined surface morphology of the 1060 aluminum alloy. After each machining time, the average surface roughness was determined, from three-point of the work piece, that is the starting point, middle point, and the end point. The result shows that the TiN–Zn coated HSS cutting tool on the surface morphology of 1060 aluminum alloy was found to reduce surface roughness with about 15.5% and both minimum surface roughness of 0.96 and 1.06 µm was achieved for the TiN–Zn coated and uncoated HSS cutting tool, respectively, with cutting time of 15 s at 1 mm depth of cut, which is viable for machining operations.

#### Keywords

- Coatings
- Machining
- Surface morphology
- Aluminum 1060 alloy
- HSS cutting tool

This is a preview of subscription content, access via your institution.

## References

 Ucun İ, Aslantas K, Bedir F (2013) An experimental investigation of the effect of coating material on tool wear in micro milling of Inconel 718 super alloy. Wear 300(1–2):8–19

## **CrossRef** Google Scholar

 Okokpujie IP, Ohunakin OS, Bolu CA, Okokpujie KO (2018) Experimental dataset for prediction of tool wear during turning of Al-1061 alloy by high speed steel cutting tools. Data Brief 1(18):1196–1203

## CrossRef Google Scholar

3. Ezugwu CA, Okonkwo UC, Sinebe JE, Okokpujie IP (2016) Stability analysis of model regenerative chatter of milling process using first order least square full discretization method. Int J Mech Appl 6(3):49–62

### **Google Scholar**

 Nwoke ON, Okonkwo UC, Okafor CE, Okokpujie IP (2017) Evaluation of chatter vibration frequency in CNC turning of 4340 alloy steel material. Int J Sci Eng Res 8(2):487–495

#### **Google Scholar**

 Afolalu SA, Salawu EY, Okokpujie IP, Abioye AA, Abioye OP, Udo M, Adetunji OR, Ikumapayi OM (2017) Experimental analysis of the wear properties of carburized HSS (ASTM A600) cutting tool. Int J Appl Eng Res 12(19):8995–9003

## **Google Scholar**

 Ogundimu O, Lawal SA, Okokpujie IP (2018) Experimental study and analysis of variance of material removal rate in high speed turning of AISI 304L alloy steel. In: IOP conference series: materials science and engineering, vol 413, no 1, p 012030. IOP Publishing, UK

#### **Google Scholar**

 Afolalu SA, Okokpujie IP, Salawu EY, Abioye AA, Abioye OP, Ikumapayi OM (2018) Study of the performances of nano-case treatment cutting tools on carbon steel work material during turning operation. In: AIP conference proceedings, vol 1957, no 1, p 050001. AIP Publishing, New York

#### **Google Scholar**

8. Afolalu SA, Abioye AA, Idirisu J, Okokpujie IP, Ikumapayi OM (2018) Abrasion wear of cutting tool developed from recycled steel using palm kernel shell as carbon additive. Prog Ind Ecol Int J 12(1/2):206–218

#### CrossRef Google Scholar

 Okokpujie IP, Ikumapayi OM, Okonkwo UC, Salawu EY, Afolalu SA, Dirisu JO, Nwoke ON, Ajayi OO (2017) Experimental and mathematical modeling for prediction of tool wear on the machining of aluminium 6061 alloy by high speed steel tools. Open Eng 7(1):461–469

#### CrossRef Google Scholar

10.Okokpujie IP, Salawu EY, Nwoke ON, Okonkwo UC, Ohijeagbon IO, Okokpujie KO (2018) Effects of process parameters on vibration frequency in turning operations of perspex material, pp 700–707

#### **Google Scholar**

11.Afolalu SA, Abioye OP, Salawu EY, Okokpujie IP, Abioye AA, Omotosho OA, Ajayi OO (2018) Impact of heat treatment on HSS cutting tool (ASTM A600) and its behaviour during machining of mild steel (ASTM A36). In: AIP conference proceedings, vol 1957, no 1, p 050003. AIP Publishing, New York

#### **Google Scholar**

12.Afolalu SA, Abioye AA, Dirisu JO, Okokpujie IP, Ajayi OO, Adetunji OR (2018) Investigation of wear land and rate of locally made HSS cutting tool. In: AIP conference proceedings, vol 1957, no 1, p 050002. AIP Publishing, New York

#### **Google Scholar**

13.Afolalu SA, Oluwaseyifunmi O, Ongbali SO, Abioye AA, Okokpujie IP, Oloyede OR (2018) The study of the impact of nano carbon additives on ASTM A53

mild steel during machining. In: IOP conference series: materials science and engineering, vol 413, no 1, p 012028. IOP Publishing, UK

#### **Google Scholar**

14.Ghani JA, Choudhury IA, Masjuki HH (2004) Wear mechanism of TiN coated carbide and uncoated cermets tools at high cutting speed applications. J Mater Process Technol 10(153):1067–1073

#### CrossRef Google Scholar

15.Huang Y, Liang SY (2005) Effect of cutting conditions on tool performance in CBN hard turning. J Manuf Process 7(1):10–16

#### CrossRef Google Scholar

16.Schulz U, Peters M, Bach FW, Tegeder G (2003) Graded coatings for thermal, wear and corrosion barriers. Mater Sci Eng A 362(1–2):61–80

#### CrossRef Google Scholar

17.Fahad M, Mativenga PT, Sheikh MA (2012) A comparative study of multilayer and functionally graded coated tools in high-speed machining. Int J Adv Manuf Technol 62(1–4):43–57

#### **CrossRef** Google Scholar

18.Åstrand M, Selinder TI, Fietzke F, Klostermann H (2004) PVD-Al₂O₃-coated cemented carbide cutting tools. Surf Coat Technol 188:186–192

#### **CrossRef Google Scholar**

19.Grzesik W, Van Luttervelt CA (2005) Analytical models based on composite layer for computation of tool-chip interface temperatures in machining steels with multilayer coated cutting tools. CIRP Ann 54(1):91–94

## CrossRef Google Scholar

20.Corduan N, Himbart T, Poulachon G, Dessoly M, Lambertin M, Vigneau J, Payoux B (2003) Wear mechanisms of new tool materials for Ti-6AI-4V high performance machining. CIRP Ann 52(1):73–76

### CrossRef Google Scholar

21.Bayraktar S, Hekimoglu AP, Turgut Y, Haciosmanoglu M (2018) A performance comparison study of uncoated and TiAIN coated carbide end mill on machining of the AI-35Zn alloy. In: IOP conference series: materials science and engineering, vol 295, no 1, p 012013. IOP Publishing, UK

#### **Google Scholar**

22.Quadrini F, Tagliaferri V, Polini R (2008) Effect of coating roughness on performance of small CVD diamond coated tools. Mach Sci Technol 12(3):390– 404

#### CrossRef Google Scholar

23.Qin F, Chou YK, Nolen D, Thompson RG (2009) Coating thickness effects on diamond coated cutting tools. Surf Coat Technol 204(6–7):1056–1060

#### CrossRef Google Scholar

24.Heaney PJ, Sumant AV, Torres CD, Carpick RW, Pfefferkorn FE (2008) Diamond coatings for micro end mills: enabling the dry machining of aluminum at the micro-scale. Diam Relat Mater 17(3):223–233

#### CrossRef Google Scholar

25.Tamerabet Y, Brioua M, Tamerabet M, Khoualdi S (2018) Experimental investigation on tool wear behavior and cutting temperature during dry

machining of carbon steel SAE 1030 using KC810 and KC910 coated inserts. Tribol Ind 40(1)

#### **Google Scholar**

26.Okonkwo UC, Okokpujie IP, Sinebe JE, Ezugwu CA (2015) Comparative analysis of aluminium surface roughness in end-milling under dry and minimum quantity lubrication (MQL) conditions. Manuf Rev 2(30):1–11

#### **Google Scholar**

27.Okokpujie IP, Okonkwo UC (2015) Effects of cutting parameters on surface roughness during end milling of aluminium under minimum quantity lubrication (MQL). Int J Sci Res 4(5):2937–2942

#### **Google Scholar**

28.Nwoke ON, Okokpujie IP, Ekenyem SC (2017) Investigation of creep responses of selected engineering materials. J Sci Eng Dev Environ Technol (JOSEDET) 7(1):1–5

#### **Google Scholar**

29.Okokpujie IP, Ajayi OO, Afolalu SA, Abioye AA, Salawu EY, Udo M (2018) Modeling and optimization of surface roughness in end milling of aluminium using least square approximation method and response surface methodology. Int J Mech Eng Technol (IJMET) 9(1):587–600

#### **Google Scholar**

30.Dunmade I, Udo M, Akintayo T, Oyedepo S, Okokpujie IP (2018) Lifecycle impact assessment of an engineering project management process—a SLCA approach. In: IOP conference series: materials science and engineering, vol 413, no 1, p 012061. IOP Publishing, UK

## **Google Scholar**

31.Okokpujie I, Okonkwo U, Okwudibe C (2015) Cutting parameters effects on surface roughness during end milling of aluminium 6061 alloy under dry machining operation. Int J Sci Res 4(7):2030–2036

## **Google Scholar**

32.Chuan SP, Ghani JA, Tomadi SH, Hassan CH (2012) Analysis of Ti-base hard coating performance in machining process: a review. J Appl Sci (Faisalabad) 12(18):1882–1890

## Google Scholar

#### **Download references**

## Acknowledgements

The author wishes to appreciate the covenant university management for their sponsorship.

## Author information

Authors and Affiliations

1. Department of Mechanical Engineering, Covenant University, Ota, Ogun State, Nigeria

I. P. Okokpujie, C. A. Bolu, O. S. Ohunakin & Esther Titilayo Akinlabi

- 2. Faculty of Engineering and the Built Environment, University of Johannesburg, Johannesburg, South Africa O. S. Ohunakin
- 3. Department of Mechanical Engineering Science, University of Johannesburg, Auckland Park, Kingsway Campus, Johannesburg, 2006, South Africa

Esther Titilayo Akinlabi

Corresponding author

Correspondence to I. P. Okokpujie.

# Editor information

Editors and Affiliations

1. Sri Sivasubramaniya Nadar College of Engineering, Chennai, Tamil Nadu, India

Dr. S. Vijayan

- 2. University of Sussex, Brighton, UK Nachiappan Subramanian
- **3. National Institute of Technology Puducherry, Puducherry, India** Prof. K. Sankaranarayanasamy

## **Rights and permissions**

**Reprints and Permissions** 

# **Copyright information**

© 2021 Springer Nature Singapore Pte Ltd.

# About this paper

Cite this paper

Okokpujie, I.P., Bolu, C.A., Ohunakin, O.S., Akinlabi, E.T. (2021). Experimental Study of the Effect of TiN–Zn Coated High-Speed Steel Cutting Tool on Surface Morphology of AL1060 Alloy During Machining Operation. In: Vijayan, S., Subramanian, N., Sankaranarayanasamy, K. (eds) Trends in Manufacturing and Engineering Management. Lecture Notes in Mechanical Engineering. Springer, Singapore. https://doi.org/10.1007/978-981-15-4745-4\_57

Download citation

- <u>.RIS</u>
- <u>.ENW</u>
- <u>.BIB</u>
- DOIhttps://doi.org/10.1007/978-981-15-4745-4\_57
- Published20 August 2020
- Publisher NameSpringer, Singapore
- Print ISBN978-981-15-4744-7
- Online ISBN978-981-15-4745-4

• eBook PackagesEngineeringEngineering (R0)

Access via your institution

## **Buying options**

Chapter		EUR	29.95
Buy Chapter			_0.00
eBook			
Softcover Book		EUR	117.69
SUILCOVET DOOK		EUR	149.99
	Tax calculation will be finalised at checkout		

#### Purchases are for personal use only

Learn about institutional subscriptions

© 2023 Springer Nature