



[The United Nations and Sustainable Development Goals](#) pp 205–221 [Cite as](#)

1. [Home](#)
2. [The United Nations and Sustainable Development Goals](#)
3. Chapter

Maximizing Olefins Production from Fluid Catalytic Cracking (FCC) Unit Using Zsm-05 Catalyst for the Nigerian Petrochemical Industry

- [Angela Mamudu](#),
- [Francis Elehinafe](#),
- [Felix Ishola](#),
- [Emeka Okoro](#) &
- [Gideon Ogunduyile](#)
- Chapter
- [First Online: 04 May 2022](#)
- **285** Accesses

This is a preview of subscription content, [access via your institution](#).

References

- Ajee, M. (2015). Aligning the Nigerian Petrochemical Industry to Oil and Gas Industry needs. *American Journal of Chemical Engineering*, 3(2–1), 18–24.

[Google Scholar](#)

- Akah, A., & Al-Ghrami, M. (2015). Maximizing propylene production via FCC technology. *Applied Petrochemical Research*, 5(4), 377–392.

[CrossRef Google Scholar](#)

- Amano, T., Wilcox, J., Pouwels, C., & Matsuura, T. (2012). Process and catalysis factors to maximize propylene output. *Petroleum Technology Quarterly*, 3(2), 17.

[Google Scholar](#)

- Amghizar, I., Vandewalle, L. A., Geem, V., & K. M & Marin, G. B. (2017). New trends in Olefin production. *Engineering*, 3(2), 171–178. <https://doi.org/10.1016/J.ENG.2017.02.006>

[CrossRef Google Scholar](#)

- Balinga, J. (2015). *The IGBT Device. Physics, Design, and applications of the insulated gate bipolar transistor*. William Andrew Applied Science Publishers. Page 583. <https://doi.org/10.1016/B978-1-4557-3143-5.00018-3>
- Banerjee, P. C., Woo, R. P., Grayson, S. M., Majumder, A., & Raman, S. R. (2014). Influence of Zeolite coating on the corrosion resistance of AZ91D Magnesium Alloy. *Materials*, 7(2), 6092–6104.

[CrossRef Google Scholar](#)

- Barrer, R. (1981). Zeolites and their synthesis. *Zeolites*, 1(3), 130–140.

[CrossRef Google Scholar](#)

- Biswas, J., & Maxwell, I. E. (1990). Octane enhancement in fluid catalytic Cracking: Role of ZSM-05 addition and reactor temperature. *Applied Catalysis*, 58(1), 1–18.
-

[CrossRef Google Scholar](#)

- Demirbas, H., Alidrisi, H., & Balubaid, M. A, (2015). API gravity. *Sulfur Content, and Desulfurization of Crude Oil, Petroleum Science, and Technology*, 33(1), 93–101. <https://doi.org/10.1080/10916466.2014.950383>

[CrossRef Google Scholar](#)

- Elamurugan, P. (2010). Modeling and control of Fluid Catalytic Cracking Unit in Petroleum Refinery. *International Journal of Computer Communication and Information System (IJCCIS)*, 2(1), 13–24.

[Google Scholar](#)

- Fujiyama, Y., Al-Tayyar, M. H., Dean, C. F., Aitani, A., Hedhwi, H. H., Tsutsui, T., & Mizuta, K. (2010). Development of high severity FCC process for maximizing propylene production: Catalyst development and optimization of reaction conditions. *Journal of the Japan Petroleum Institute*, 23, 336–341.

[CrossRef Google Scholar](#)

- Hamada, R., & Watabe, M. (2008). More propylene in FCC units. *Catalysts in petroleum refining petrochemicals*. Dhahran: 18th Annual Saudi-Japan Symposium.

[Google Scholar](#)

- Hu, R., Gordon, W., Hongbo, M., Terry, R., & Wu-Cheng, C. (2008). Effect of hydrocarbon partial pressure on FCC propylene. *Petroleum Technology Quarterly*, 13(4), 37–44.

[Google Scholar](#)

- Hutchinson, D., & Roger, H. (1996). Catalytic cracking to maximize light olefins. *Petrole et techniques*, 29.s

[Google Scholar](#)

- Ji, Y. (2015). Membrane technologies for water treatment and reuse in the gas and petrochemical industries. *Materials, Processes, and Applications*. Woodhead Publishing Series in Energy pp. 519–536. <https://doi.org/10.1016/B978-1-78242-121-4.00016-2>
- Jones, D. S., & Pajado, P. P. (2006). *Handbook of Petroleum Processing*, 23, 12–20.

[Google Scholar](#)

- Knight, J., & Mehlberg, R. (2011). Maximizing propylene from your FCC. *Hydrocarbon processing* .Special report

[Google Scholar](#)

- Li, Y., Sun, H., Feng, R., Wang, Y., Subhan, F., Yan., Z., Zhang, Z & Liu, F. (2015). Synthesis of ZSM-5 zeolite from diatomite for fluid catalytic cracking application. *Applied Petrochemical Research*, 5, 347–353.

[CrossRef Google Scholar](#)

- Mamudu, O. A & Chandler, H. (2019). *A review on solids separation, disposal, and handling system for the petroleum refining industry*.

[Google Scholar](#)

- Mamudu, O. A., Igwe, G. J., & Okonkwo, E. (2019). Process design evaluation of an optimum modular topping refinery for Nigeria crude oil using HYSYS Aspen Software. *Cogent Engineering*, 6, 1659123. <https://doi.org/10.1080/23311916.2019.1659123>

[CrossRef Google Scholar](#)

- Peng, D. Y. and Robinson, D. B. (1976). A new two-constant equation of state, *Industrial and Engineering Chemistry*, 15(1), 59–64.

[Google Scholar](#)

- Rigutto, S. M., Veen, R. V & Huve, L. (2007). Zeolite in hydrocarbon processing. *Studies in Surface Science and Catalysis*, 168(23), 855–913, XXIII–XXVI

[Google Scholar](#)

- Rostamizaseh, M & Taeb, A. (2015). Synthesis and reactivity in inorganic, *Metal-Organic, and Nano-Metal Chemistry*, 46(5).

[Google Scholar](#)

- Speight, J. G. (2006). *The chemistry and technology of petroleum*. CRC Press.

[CrossRef](#) [Google Scholar](#)

- Uppaluri, R. (2010). Refinery process design (Lecture Notes): Department of Chemical India. Page 183

[Google Scholar](#)

- Vogt, E. T. C., & Weckhuysen, B. M. (2015). Fluid catalytic cracking: Recent developments on the grand old lady of zeolite catalysis. *Chemical Society Review*, 44(20), 7342–7370. <https://doi.org/10.1039/c5cs00376h>

[CrossRef](#) [Google Scholar](#)

- Zhao, X., & Hardley, R. H. (1999). ZSM-5 additive in fluid catalytic cracking. 2. Effect of hydrogen transfer characteristics of the base cracking catalysts and feedstocks. *Industrial and Engineering Chemical Research*, 38(10), 3854–3859.

[Google Scholar](#)

[Download references](#)

Author information

Authors and Affiliations

1. **Chemical Engineering Department, Covenant University, Ota, Nigeria**
Angela Mamudu, Francis Elehinafe & Gideon Ogunduyile

2. Mechanical Engineering Department, Covenant University, Ota, Nigeria

Felix Ishola

3. Petroleum Engineering Department, Covenant University, Ota, Nigeria

Emeka Okoro

Corresponding author

Correspondence to [Angela Mamudu](#).

Editor information

Editors and Affiliations

1. Covenant University, Ota, Ogun State, Nigeria

Sheriff Folarin

2. Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa

Esther Akinlabi

3. Covenant University, Ota, Ota, Ogun State, Nigeria

Aderemi Atayero

Rights and permissions

[Reprints and Permissions](#)

Copyright information

© 2022 The Author(s), under exclusive license to Springer Nature Switzerland AG

About this chapter

Cite this chapter

Mamudu, A., Elehinafe, F., Ishola, F., Okoro, E., Ogunduyile, G. (2022). Maximizing Olefins Production from Fluid Catalytic Cracking (FCC) Unit Using Zsm-05 Catalyst for the Nigerian Petrochemical Industry. In: Folarin, S., Akinlabi, E., Atayero, A. (eds) The United Nations and Sustainable Development Goals. Palgrave Macmillan, Cham. https://doi.org/10.1007/978-3-030-95971-5_16

Download citation

- [.RIS](#)
- [.ENW](#)
- [.BIB](#)
- DOI https://doi.org/10.1007/978-3-030-95971-5_16
- Published 04 May 2022
- Publisher Name Palgrave Macmillan, Cham
- Print ISBN 978-3-030-95970-8
- Online ISBN 978-3-030-95971-5
- eBook Packages [Political Science and International Studies](#) [Political Science and International Studies \(R0\)](#)

[Access via your institution](#)

Buying options

Chapter

EUR 29.95

Price includes VAT (Nigeria)

- Available as PDF
- Read on any device
- Instant download
- Own it forever

Buy Chapter

eBook

EUR 93.08

Softcover Book

EUR 109.99

Hardcover Book

EUR 109.99

Tax calculation will be finalised at checkout

Purchases are for personal use only

[Learn about institutional subscriptions](#)

- Sections
- References
- [References](#)
- [Author information](#)
- [Editor information](#)

- [Rights and permissions](#)
- [Copyright information](#)
- [About this chapter](#)

© 2023 Springer Nature