

Effect of Oil Bean Stalk Filler on the Thermo-Mechanical Properties of Developed Aluminium Dross Composites for Building Ceilings

- Joseph O. Dirisu,
- Damola S. Adelekan,
- Ojo S. I. Fayomi,
- Sunday O. Oyedepo,
- Esther T. Akinlabi,
- Olufunmilayo O. Joseph,
- Olalekan Adebayo Olayemi &
- Imhade P. Okokpujie

Abstract

Standard quality building material is the demand of this present age. It is a good attempt to draw some ideas about the use of composites in modern building materials. This study experimentally investigates the effect of varying oil beanstalk (OBS) filler and Portland cement (Cmt) additives on thermo-mechanical properties of aluminium dross (Aldr)-Portland cement oil bean-reinforced composites. The specific heat capacity, thermal conductivity, thermal resistivity, thermal diffusivity, thermal effusivity, and compressive strength were determined at a different variation of filler content to investigate its effects on the developed composites' behaviour building ceilings application. Result shows that the physical and mechanical properties of triad $_{0.6}Aldr_{0.3}Cmt_{0.05}G_{0.05}OBS$, $_{0.6}Aldr_{0.32}Cmt_{0.05}G_{0.03}OBS$ composites are better than $_{0.6}Aldr_{0.34}Cmt_{0.05}G_{0.01}OBS$ composites. Developed samples with Portland cement binders were observed not supporting combustion in the combustion calorimeter, confirming their flame-retardant characteristics. Thermal analysis indicates that reduced additive results in poor thermal performance despite an increment in Portland cement content. The least thermal conductivity value ($0.0195 \text{ W/m}^2\text{K}$) was obtained for sample 2 produced with 60% aluminium dross, 32% Portland cement and 3% oil bean stalk. The developed ceiling materials specific heat capacities increased by 10.33–386.83% compared to asbestos. Compared to Polyvynylchloride (PVC) ceiling material gave a 40.81% reduction in sample 2. The calorific value of oil bean stalk

obtained using the combustion calorimeter is 17.80 MJ/kg, lower compared to pulverized coconut shells. It is observed that the best performance of the composite is achieved at moderate Portland cement and filler ratios. A new method of curbing fire spread and providing thermal comfort is essential in this new age of building composite, sustainable cities, and communities; this will come to the fore when inbred exceptional thermal, combustion, and mechanical properties are found in developed building ceilings. The percentage variation of filler on the matrix material necessitates improvement in their behaviour in performance.

This is a preview of subscription content, [log in via an institution](#) to check access.

Similar content being viewed by others



Development of Silicate Aluminium Dross Composites for Sustainable Building Ceilings

Article 15 July 2020



Investigation of Thermal and Strength Properties of Composite Panels Fabricated with Plaster of Paris for Insulation in Buildings

Article 12 January 2021



Surface Chemistry Studies of Emission and Thermal Behaviour of Developed Composites for Building Ceiling Materials

Article 04 October 2021

References

1. C.F. de Andrade, J.B. Duarte, M.L.F. Barbosa, M.D. de Andrade, R.O. de Oliveira, R.C. Delgado, P.E. Teodoro, Fire outbreaks in extreme climate years in the State of Rio de Janeiro, Brazil. *Land Degrad. Dev.* **30**(11), 1379–1389 (2019)

[Article Google Scholar](#)

2. M.B. Ramos-Neto, V.R. Pivello, Lightning fires in a Brazilian Savanna National Park: rethinking management strategies. *Environ. Manage.* **26**(6), 675–684 (2000)

[Article Google Scholar](#)

3. A. Aderibigbe, Root cause analysis of a jet fuel tanker accident. *Int. J. Appl. Eng. Res.* **12**(24), 14974–14983 (2017)

[Google Scholar](#)

4. O.U. Sunday, S. Zubairu, A. Isah, Assessment of the causes of fire incidents in garki model market of Abuja and prevention measures against recurrence. *Ethiopian J. Environ. Studies Manag.* **12**(2), 202–213 (2019)

[Google Scholar](#)

5. T.A. Ibrahim, B. Suleiman, N.A. Bello, Causes and effects of building collapse in Nigeria. *KIU J. Soc. Sci.* **4**(4), 81–90 (2019)

[Google Scholar](#)

6. D. Kim, Characteristics of Korean forest fires and forest fire policies in the Joseon dynasty period (1392–1910) derived from historical records. *Forests* **10**(1), 29 (2019)

[Article Google Scholar](#)

7. A.D. Kaye, D. Kolinsky, R.D. Urman, Management of a fire in the operating room. *J. Anaesth.* **28**(2), 279–287 (2014)

[Article Google Scholar](#)

8. J.D. Young, A.E. Thode, C.H. May Huang, A.A. Ager, Strategic response to wildland fire hazards in the southwestern United States. *J. Environ. Manag.* (2019)

9. M. Bar, R. Alagirusamy, A. Das, Flame retardant polymer composites. *Fibres Polym.* **16**(4), 705–717 (2015)

[Article Google Scholar](#)

10. http://thermalanalysislabs.com/thermal-properties-of-commonmaterials/materials/#sf_form_salesforce

11. A. Shittu, J.E. Idiake, W.P. Akamu, Effect of petroleum price increase on the cost of selected building finishing materials in the Nigerian construction industry (2006–2012). *J. Econ. Sustain. Devel.* **6**(8), 141–151 (2015)

[Google Scholar](#)

12. J. Sedo, S. Polakova, D. Cuchtova, Various methods of aluminum melting dust dross fraction granulation and the research of continuous granulation possibilities. *Eur. Sci. J.* **11**(18), 59–68 (2015)

[Google Scholar](#)

13. P. Puksisuwan, P. Laoratanakul, B. Cherdhirunkorn, Utilization of aluminium dross as a main raw material for synthesis of geopolymer. *J. Metals Mater. Miner.* **27**(2) (2018)
14. G. Mailar, S. Raghavendra, B.M. Sreedhara, D.S. Manu, P. Hiremath, K. Jayakesh, Investigation of concrete produced using recycled aluminium dross for hot weather concreting conditions. *Resour.-Eff. Technol.* **2**(2), 68–80 (2016)

[Google Scholar](#)

15. J.O. Agunsoye, S.I. Talabi, S.B. Hassan, I.O. Awe, S.A. Bello, E. Aziakpono, The development and characterisation of aluminium dross-epoxy resin composite materials. *J. Mater. Sci. Res.* (2014). <https://doi.org/10.5539/jmsr.v3n2p23>

[Article Google Scholar](#)

16. G. Agarwal, A. Patnaik, R.K. Sharma, Thermo-mechanical properties and abrasive wear behaviour of silicon carbide filled woven glass fibre composites. *SILICON* **6**(3), 155–168 (2014)

[Article Google Scholar](#)

17. P.B. Mogaji, S.P. Ayodeji, A.D. Olatise, I.O. Oladele, Investigation of the properties and production of sawdust ceiling tile using polystyrene as a binder. *Afr. J. Sci. Technol. Innov. Dev.* **9**(6), 655–659 (2017)

[Article Google Scholar](#)

18. F.N. Gesa, R.A. Atser, S.I. Aondoakaa, Investigation of the thermal insulation properties of selected ceiling materials used in Makurdi Metropolis (Benue State-Nigeria). *Am. J. Eng. Res* **3**(11), 245–250 (2014)

[Google Scholar](#)

19. J.O. Dirisu, S.O. Oyedepo, O.S.I. Fayomi, Thermal energy assessment of oil bean stalk as a novel additive to building ceilings. *AIP Conf. Proc.* **2190**(1), 020076 (2019)

[Article Google Scholar](#)

20. J.O. Dirisu, S.O. Oyedepo, O.S.I. Fayomi, O.O. Joseph, E.T. Akinlabi, P.O. Babalola, N.E. Udoye, O.O. Ajayi, A.K. Aworinde, S.O. Banjo, K.M. Oluwasegun, Thermal-emission assessment of building ceilings from agro-industrial wastes. *Fuel Commun* **10**, 100042 (2022)

[Article Google Scholar](#)

21. P. Philip, L. Fagbenle, Design of Lee' s disc electrical method for determining thermal conductivity of a poor conductor in the form of a flat disc. *Int. J. Innov. Sci. Res.* **9**(2), 335–343 (2014)

[Google Scholar](#)

22. N.J. George, V.I. Obianwu, G.T. Akpabio, I.B. Obot, Comparison of thermal insulation efficiency of some select materials used as ceiling in building design. *Arch. Appl. Sci. Res.* **2**(3), 253–259 (2010)

[Google Scholar](#)

23. M.C. Onyeaju, E. Osarolube, E.O. Chukwuocha, C.E. Ekuma, G.A. Omadheye, Comparison of the thermal properties of asbestos and polyvinylchloride ceiling sheets. *Mater. Sci. Appl.* **3**, 240–244 (2012)

[Google Scholar](#)

24. O.N. Ezenwa, E.N. Obika, C. Umembamalu, F.C. Nwoye, Development of ceiling board using breadfruit seed coat and recycled low density polyethylene. *Heliyon* **5**(11), 02712 (2019)

[Article Google Scholar](#)

25. L.I. Pooley, A.S. Abu-Bakar, M.J. Cran, R. Wadhvani, K.A. Moinuddin, Measurements of specific heat capacity of common building materials at elevated temperatures: a comparison of DSC and HDA. *J. Therm. Anal. Calorim.* **9**, 1–1 (2019)

[Google Scholar](#)

26. S. Iffat, Relation between density and compressive strength of hardened concrete. *Concr. Res. Lett.* **6**(4), 182–189 (2015)

[Google Scholar](#)

27. S. Verbeke, A. Audenaert, Thermal inertia in buildings: a review of impacts across climate and building use. *Renew. Sustain. Energy Rev.* **82**, 2300–2318 (2018)

[Article Google Scholar](#)

28. S. Mounir, A. Khabbazi, A. Khaldoun, Y. Maaloufa, Y. El Hamdouni, Thermal inertia and thermal properties of the composite material clay–wool. *Sustain. Cities Soc.* **19**, 191–199 (2015)

[Article Google Scholar](#)

29. G. Amoako, P. Mensah-Amoah, Determination of calorific values of coconut shells and coconut husks. *J. Mater. Sci. Res. Rev.* 1–7 (2019)
30. J.O. Dirisu, A.A. Asere, J.A. Oyekunle, O.O. Ajayi, S.A. Afolalu, O.O. Joseph, A.A. Abioye, Comparison of the elemental structure and emission characteristics of selected PVC and non PVC ceiling materials available in Nigerian markets. *Int. J. Appl. Eng. Res.* **12**(23), 14755–14758 (2017)

[Google Scholar](#)

[Download references](#)

Acknowledgements

The authors wish to acknowledge the management of Covenant University for publication support and the Department of Mechanical Engineering and Built-in-Environment, University of Johannesburg, South Africa, for providing equipment for this research work.

Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author information

Authors and Affiliations

- 1. Department of Mechanical Engineering, Covenant University, P.M.B 1023, Ota, Ogun State, Nigeria**
Joseph O. Dirisu, Damola S. Adelekan, Sunday O. Oyedepo & Olufunmilayo O. Joseph
- 2. Department of Chemical, Metallurgical and Materials Engineering, Tshwane University of Technology, P.M.B. X680, Pretoria, South Africa**
Ojo S. I. Fayomi
- 3. Department of Mechanical Engineering, Bells University of Technology, Ota, Ogun State, Nigeria**
Ojo S. I. Fayomi
- 4. Department of Mechanical and Construction Engineering, Northumbria University, Newcastle, NE1 8ST, United Kingdom**
Esther T. Akinlabi

5. **Department of Aeronautics and Astronautics, Faculty of Engineering and Technology, Kwara State University, Malete, Kwara State, Nigeria**
Olalekan Adebayo Olayemi
6. **Department of Mechanical and Mechatronics Engineering, Afe Babalola University, Ado-Ekiti, Ekiti State, Nigeria**
Imhade P. Okokpujie

Corresponding author

Correspondence to [Joseph O. Dirisu](#).

Ethics declarations

Conflict of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Additional information

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Rights and permissions

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.

[Reprints and permissions](#)

About this article

Cite this article

Dirisu, J.O., Adelekan, D.S., Fayomi, O.S.I. *et al.* Effect of Oil Bean Stalk Filler on the Thermo-Mechanical Properties of Developed Aluminium Dross Composites for Building Ceilings. *J. Inst. Eng. India Ser. D* **104**, 553–559 (2023). <https://doi.org/10.1007/s40033-022-00422-1>

[Download citation](#)

- Received 03 June 2022

- Accepted 28 October 2022
- Published 14 November 2022
- Issue Date December 2023
- DOI <https://doi.org/10.1007/s40033-022-00422-1>

Keywords

- [Aluminium dross](#)
- [Building ceiling](#)
- [Combustion calorimeter](#)
- [Oil beanstalk](#)
- [Sustainable cities](#)
- [Thermal analysis](#)

Access this article

[Log in via an institution](#)

Buy article PDF 39,95 €

Price includes VAT (Nigeria)
Instant access to the full article PDF.

Rent this article via [DeepDyve](#)
[Institutional subscriptions](#)