Building a Computer-Based Expert System for Malaria Environmental Diagnosis: An Alternative Malaria Control Strategy

Olugbenga Oluwagbemi, Esther Adeoye, Segun Fatumo

Department of Computer and Information Sciences (Bioinformatics Unit), College of Science and Technology Covenant University Ota, Ogun State Nigeria, West Africa <u>gbemiseun@yahoo.com</u>

Abstract

As a predominant environmental health problem in Africa, malaria constitutes a great threat to the existence of many communities. The harmful effects of malaria parasites to the human body cannot be underestimated. In this paper, an expert system for malaria environmental diagnosis was presented for providing decision support to malaria researchers, institutes and other healthcare practitioners in malaria endemic regions of the world. The motivation behind this work was due to the insufficient malaria control measures in existence and the need to provide novel approaches towards malaria control. A malaria expert system prototype was developed that involved a knowledge component, the application component (AC), the database system component (DC), the Graphical User Interface (GUI) component and the User component (UC). The User interface component was implemented using the Java Programming language. The application component was implemented using the Java Expert System Shell (JESS) and the Java IDE of Netbeans while the database component was implemented using SQL Server.

Keywords: Database system; Expert system; Environmental Diagnosis; Knowledge based system, Malaria; Malaria Control.

1. Introduction

Malaria, a potentially fatal blood disease, is caused by a parasite that is transmitted to human and animal hosts through the Anopheles mosquitoes. This mosquito-borne disease has resulted in the death of many people annually. Environmental effects on health, however, have always been multi-facetted [1], especially as regards the transmission of malaria. However, the knowledge of Artificial Intelligence, especially Machine learning in Computer Science, can be deployed into malaria research to provide meaningful control measures to curtail the spread of malaria in endemic regions.

Machine learning refers to a system capable of the autonomous acquisition and integration of knowledge. It has the capacity to learn from experience, analytically make critical observations, and, results in a system that can continuously self-improve. The aim of this work is to build an expert system for malaria environmental diagnostics, which will ultimately help in proffering quality control measures to malaria in Africa, Asia and other regions of the world. Thus, this project work aims to elucidate the level of malaria parasite transmissions through variously specified environmental and climatic factors in any affected country for appropriate control measures.

2. Related work

Several related work have shown that malaria remains a major public health problem in Africa [2]. However, concerted efforts are continually been made to control malaria spread and transmissions within and between communities. In the work carried out by (Utzinger J. et al.,2001), it was reported that monthly malaria incidence rates and vector densities were used for surveillance and adaptive tuning of the environmental management strategies; which resulted in a high level of performance. Within 3-5 years, malaria-related mortality, morbidity and incidence rates were reduced by 70-95% [3]. In a recent study, it was concluded that malaria control programmes that emphasized environmental management were highly effective in reducing morbidity and mortality [4]. Another study also showed that Environmental management of mosquito resources is a promising approach with which to control malaria, but it has seen little application in Africa for more than half a century [5]. In a recent study carried out by (Utzinger et al., 2002) the economic payoffs of malaria control strategies was highlighted [6]. Copper production and revenues, was increased dramatically during malaria control interventions.

The great failure of malaria control in Africa, from a district perspective in Burkina Faso was highlighted in the work carried out by (Kouyaté et al., 2007) [7]. An integrated approach to malaria control was presented by (Clive Shiff, 2002). [8]

In the scientific commentary delivered by (Jeffrey D. Sachs, 2001), he stressed the need for a new global commitment to disease control in Africa. In the commentary, malaria was among the diseases highlighted [9]. However, in the work carried out by (Vincent P.A. and Thomas G. E., 2003), it was observed that malarial control strategies consisted majorly of chemotherapy directed against the malaria parasite and prevention of mosquito vector/human contact using insecticide-impregnated bednets. This control strategy achieved minimum results [10].

Another research was carried out on the island of Bioko (Equatorial Guinea). The purpose of this study was to access the impact of the two control strategies (insecticide-treated nets (ITNs) indoor residual spraying (IRS) on the island of Bioko (Equatorial Guinea), with regards to Plasmodium infection and anaemia in the children under five years of age. The results obtained showed that IRS and ITNs have proven to be effective control strategies [11].

Recently, a research was conducted to determine the cost effectiveness of selected malaria control interventions. It was concluded that on cost effectiveness grounds, in most areas in sub-Saharan Africa, greater coverage with highly effective combination treatments should be the cornerstone of malaria control [12].

Thus, there is a pressing need to research into the best methods of deploying and using existing approaches, such as rapid methods of diagnosis, to have effective control over malaria transmissions [13].

3. Expert System for malaria environmental diagnostics

An expert system for malaria environmental diagnostics is a system that helps to determine the extent of malaria parasites presence within different environments based on environmental factors supplied.

The framework is made up of four components, namely;

- (i) The User component
- (ii) The GUI component

- (iii)The Application component
- (iv) The Database System component




Fig. 1 Framework for the Malaria Expert System

4. Knowledge Base, Uncertainty and Searching Technique in Expert Systems

Expert systems are computer applications which embody some non-algorithmic expertise for solving certain types of problems. They are used in many areas including diagnostic applications. Expert systems have a number of major system components and interface performing various roles. Their major components are briefly explained below.

- 1. Knowledge base declarative representation of the expertise, often in IF THEN rules;
- 2. Working storage the data which is specific to a problem being solved;
- 3. Inference engine the code at the core of the system which derives recommendations from the knowledge base and problem-specific data in working storage;
- 4. User interface the code that controls the dialog between the user and the system.

The major bottleneck in expert system development is the building of the knowledge base. Many expert systems are built with products called expert system shells. The shell is a piece of software which contains the user interface, a format for declarative knowledge in the knowledge base, and an inference engine. The knowledge engineer uses the shell to build a system for a particular problem domain. The data in the shell constitutes the knowledge base of the system. With a customized system, the system engineer can implement a knowledge base whose structures are as close as possible to those used by the expert. For all rule based systems, the rules refer to data. The data representation can be simple or complex, depending on the problem.

5. JESS (Java Expert System Shell) as a Knowledge Base

A JESS document is usually created in text editor, including the windows platform editor, Notepad. As the name implies, it's usually incorporated into a Java program for

functionality, although it can work alone and could be run on the windows command prompt. The jess file is usually saved with a ".clp" extension as against the normal ".txt" extension. It contains a JAR file which links the JESS to the java IDE environment and as soon as the jess is referenced in the code, it would run predefined instructions subject to user's input from the Java Interface. The JESS is usually run and manipulated on the Java interface. In Java environment, program codes are usually written for specific functions.

5.1. Expert System Features

There are a number of features commonly used in expert systems and they are:

- 1. Coping with uncertainty the ability of the system to reason with rules and data which are not precisely known;
- 2. Data driven reasoning an inference technique which uses IF THEN rules to deduce a problem solution from initial data; a diagnostic system fits this model, since the aim of the system is to pick the correct diagnosis. The knowledge is structured in rules which describe how each of the possibilities might be selected. The rule breaks the problem into sub-problems. The system would try all the rules till it finds a perfect match which is then returned to the user through a user interface;
- 3. Data representation the way the problem specific data is stored and accessed in the system;
- 4. User interface that portion of the code which creates an easy to use system;
- 5. Explanations the ability of the system to explain the reasoning process that it used to reach a recommendation.

5.2 Uncertainty in the Expert System

This is the ability of the system to reason with rules and data which are not precisely known. For expert systems to work in the real world they must also be able to deal with uncertainty because the expert's rules might be vague or the user might be unsure of answers. This can be easily seen in medical diagnostic systems where the expert is not definite about the relationship between symptoms and diseases or the system users cannot explain the problem in definite terms. In fact, the doctor might offer multiple possible diagnoses. In our system, the knowledge base contains data that are based on certain and proven facts and it has the capability to handle a user's uncertainty.

Searching the knowledge base through the user interface

The acceptability of an expert system depends to a great extent on the quality of the user interface. The easiest to implement interfaces communicate with the user through a dialog box, drop-down menu and so on. The system responds to commands, and asks questions during the inference process. Then, the user can respond to questions, pick choice answers and also enter commands. The Drop-Down searching technique is used in our system, as shown in Fig 1.

6. Methods

Technical aspects of our methodology involved the design and implementation of a 4agent architectural model namely, The User interface component, the application component and the database component.

The expert system for malaria environmental diagnostics was developed using Net Beans 5.5; JESS (Java Expert System Shell) for the rule/knowledge base and Microsoft SQL Server 2000 is used as the Database engine for this project. The JESS file is called in the Net Beans environment and the Database also. All inputs are has equal slots in the JESS file where necessary action is carried out to generate accurate results.

There are necessary factors in determining the probability of mosquito as a vector in an area, the knowledge of this would help in devising the appropriate control measures and also help to reduce the risk of contact with the malaria parasites.

The Main Form in Fig.2 contains various input factors like Period of Day; Zone information; Weather Status; Natural Disasters; Rain and Water Content; Population; Nature of Country and Vegetation Cover. All these factors have their contributions to the spread of the malaria parasites




Fig.2 Developed Application showing various contributory environmental factors to malaria spread through the Graphical user interface component

7. System Design

A formal model of the proposed system was built using Unified Modeling Language (UML).

(i) Use Case diagram of the Proposed System




Fig.3 Use Case Diagram of the Expert System

A Use Case diagram graphically depicts the interactions between the system, the external system (if any) and the user. Use case diagrams play a major role in system design because it acts as a roadmap in constructing the structure of the system; it also defines who will use the system and in what way the user expects to interact with the system. The purpose of the use case diagram is to portray:

- The actor.
- A set of use cases for a system.
- The relations between the actor and the use cases.

Here, we introduce three main Use cases which extend, include or use other Use cases.

- Input Information;
- View Decisions;
- Exit System.

The User (actor): This is one of the clients that make use of the application.

Input Information: this represents the interface where the users are going to feed data into the system based on questions about their environment. The system then responds based on the correlation between user data and its foreknown intelligence. This uses another Use Case called Get Environmental Details and that is the set of questions representing the environment.

View Decisions: this is an avenue that enables the user of the system to view the system response. It's usually through an interface. All system possible decisions have been stored in a database external to the system and this is for code efficiency. It has a Use Case that is used by the decision taking Use Case.

Exit System: the user of the system can decide when to leave the application in the event of getting enough information or otherwise.

ii. Sequence diagram for the Proposed System

Egyptian Computer Science Journal Vol.33 No.1 September 2009

A Sequence diagram is a graphical visualization of sequences of messages between objects i.e. sequence of method invocation of objects which results in accomplishing some tasks. The emphasis in a sequence diagram is on the sequence of messages. A Sequence diagram is a structured representation of behavior as a series of sequential steps over time. It is used to depict work flow, message passing and how elements in general cooperate over time to achieve a result. The sequence diagram for this system is shown in the next section.




Fig.4 Sequence diagram of the Expert System

iii. Activity diagram for the Proposed System

Activity diagrams graphically show represent the performance of actions or sub activities and the transaction that are triggered by the completion of the actions or sub actions. It is a means of describing the workflow of activities.




Fig.5 (a) Activity diagram of the Expert System

<u>a</u>			
File			
Expert System For Malaria E	vironmental Diagnosis		
All Fields marked with *** are in	ortant.Any wistere answer should be marked as wiknown .		
	X 🚺 🗱		
The following factors are major determinants of r	osquitoes which carry the malaria parasite in any environment. Accuracy	, is required.	
PERIOD OF DAY (*)	Dawn 💌		
WEATHER STATUS (*)	POPULATION (*)	-	
	Hot		
NATURAL DISATERS	Wet Cold NATURE OF COUNTRY (*)	-	
NATURAL DISATERS	Warm		
	Cool		
RAIN AND WATER (*)	VEGETATION (*)	-	
	DeterminantSearch		
	If major data is unknown, Please click this button below.		
	Click		

Fig.5 (b) Application showing a user in the selection process.

This form shows a user in the selection process. The Period of the Day has two main determinants, Dusk or Dawn. This is because the mosquito is generally more active at these periods. The user selection would determine the result the system would generate.

The second user agent action performed is the selection of the Zone.

The zone (height above sea level) is also a determinant for vector in that environmental area. At 10 feet above sea level, there are more possibilities of malaria parasite and so was considered as a criteria.

ි File		
Expert System Por Malaria Environmental Diagnosis		
The following factors are major determinants of mosquitoes which carry the malaria parasite in any environment. Accuracy is required.		
PERIOD OF DAY	Dusk	•
SELECT THE ZONE(above sea level)	10_feet	•
WEATHER STATUS	Hot	•
NATURAL DISATERS	Hurricane	
RAIN AND WATER	RainGutters 💌	
POPULATION	DensePopulationGro	
NATURE OF COUNTRY	TropicalCountries <	
VEGETATION	SurroundingDebris 💌	
DeterminantSearch		
🚱 🖉 📼 🔌 🏉 The Trojan 🔮 2 Java(TM 👻 📒 2 Notepad 🔹 🚺 3 Window 🔹 😫 Documenti 🕼 Yahao!	Search 👂 💽 🖿 🐨 🇨 🎫) 40 - 📲 < 🕖 🔀 🕼 🕵 🕪 16:44

Fig. 6 Application showing the period of the day, selected zones , weather status, natural disasters, population, nature of a country and vegetation as a determinant for malaria parasite spread

8. Results

At this point all necessary data (as stated above) would have been inputted. The JESS platform performs the necessary knowledge evaluation to determine what result is given out at what point as shown below:

Egyptian Computer Science Journal Vol.33 No.1 September 2009

<u>\$</u>						a x
	Help					
	🖹 🛛 🛛 🕨 🖕 📥	1 🗐 🔒 😪 🖃	107.7/115.9MB			
There is a very high probablity of mosquito in specified region.	a 🕺 💼 extrajava 🕺 🙆 AWTEver	ntMulticaster.java (r/o) 🕺 Weld	come 😫 🔍 🔻	[JFrame] - Propertie	8	₽ %
	IEE ++	, , , ,		Properties Events	Code	D 8
	ш ш і т т			- Properties		•
	-			defaultCloseOperatio	EXIT ON CLOSE	ion
				title		
				Other Properties		
				alwaysOnTop		
				alwaysOnTopSupported		_
				background	[240,240,240]	
				bounds	<not set=""></not>	
				cursor	Default Cursor 🚽	
				enabled	1	
				extendedState	0	
				focusCycleRoot	\checkmark	
S Form Suggestions				focusTraversalPolicy	[LayoutFocusTraver:	s 🖳
- Com suggestions				focusTraversalPolicyPro		
IFrame]				focusable	V	
jisti (Jist)				focusableWindowState		
				font	null	
				foreground	null	
				graphics	null	_
				iconImage	null	
				iconImages	[ArrayList]	
				[JFrame]	[0 0 0 0]	0
				[Jrraine]		
Output	🦁 🕫 🗄 Ca	II Stack	₩ # Watches	Local Varia	ables	
FINAL_YEAR_PROJECT (debug) 88 FINAL_YEA	R_PROJECT (run) 8 Nam	e				
	Debugger Console 8					
Debugger Console 🛛 FINAL_YEAR_PROJECT (debug)	Debugger Console 88	There is no current thread to	o display the call stack for.			~
nput	Close Input					
JUnit Test Results	₽ %					-
G. Usages						
						0
ser program running						1

Fig.7 Results produced by the malaria expert system

<u>ی</u>			
File			
Expert System Por Malaria Environ	umental Diagnosis		
All Fields marked with "*" are important.Ar	ny unsure answer should be marked as unknown.		
The following factors are major determinants of mosquitoes	s which carry the malaria parasite in any environmen	nt Accuracy is required.	
PERIOD OF DAY (*)	Dawn 💌		
WEATHER STATUS (*)	Hot POPULATION (*)	SparsePopulationGrowth	
NATURAL DISATERS	Thunderstorms 💌 NATURE OF COUNTRY (*)	TropicalCountries	
RAIN AND WATER (*)	VEGETATION (*)	SurroundingDebris	
	erminantSearch najor data is unknown, Please click this button belou Click	ev.	

Fig.8 Results produced :The weather status is a major determinant of the vector in a geographical area. There are more possibilities of malaria parasite during high temperatures and vice-versa.

NetBeans IDE 5.5 - FINAL_YEAR_PROJECT		
File Edit View Navigate Source Refactor Build Run CVS Tools Window Help		
	■ 87.7/95.3MB	
		Palette
		- Swing
		set JLabel
	^ ·	I JButton
	-	
		Im JToggleButton
		I - JCheckBox
		* - JRadioButton
There is a high probability of contacting the malaria paraites as mosquitoes are more active at this time	rked as unknown .	S ButtonGroup
		I JComboBox
		JList
		: [JFrame] - Properties 🗈 🕸
		Properties Events Code
		Properties
		defaultCloseOperatiorEXIT_ON_CLOSE
	in any environment.Accuracy is require	title
		Other Properties
		alwaysOnTop
		alwaysOnTopSupported
		background [240,240,240]]
ComboBox4 [JComboBox1		bounds <not set=""></not>
Label5 [J.abel]		cursor Default Cursor
Jubel6 [Jubel]		enabled
WEATHER STATUS (*)	POPULATION (*)	[JFrame]
J.abel7 [J.abel]		
jComboBox6 [JComboBox] + + + + III	•	
i Output 🔍 🗟 🕄 Call Stac	k ♥ ≋ Watches	Local Variables
FINAL_YEAR_PROJECT (debug) ¹⁰ Debugger Console ¹⁰ Name		
compile: There is a high probability of contacting the malaria paraites as mosquitoes are more at the transformation of the malaria paraites are more at the transformation of the malaria paraites are more at the transformation of the malaria paraites are more at the transformation of the malaria paraites are more at the transformation of the malaria paraites are more at the transformation of the transformation of the malaria paraites are more at the transformation of the malaria paraites are more at the transformation of trans	ere is no current thread to display the call stack for.	~
A contracting the maiaria paraltes as mosquitoes are more a w		
Input Close Input		
		•
HTTP Monitor 🧕 Refactoring		
User program running		

Fig.9 The result here shows mosquito would be very high in the specified region and then the system would go on to proffer solutions and medications.

NetBeans IDE 5.5 - FINAL_YEAR_PROJECT							×
File Edit View Navigate Source Refactor Build Run CVS Tools Window Help							
🖎 🕵 🇁 🕼 🖌 🛍 🛍 🏹 🏴 🔎 🍓 🕸 🔶 渺 🔟 🛙	1 IÞ 🖕 🕯	i 📤 🗐 晶 🤏	61.2/80.2MB				
	2			< > -	Palette		ID 88
					Swing		*
					www. JLabel		=
±					I JButton		
					I JToggleButton		
	onmenta	1 Diagnosis			III- JCheckBox		
					*- JRadioButton		
				E	Carteria ButtonGroup		
	Any unsu	e answer should be mar	ked as unknown .		ComboBox		
Artesunate and mefloquine				-	📑 JList		*
	Real C	1000	11 80	A NUMBER	First_Project.java -	Properties	B 88
					Properties		
Elf I			2 6 P	Walter and	Name	First_Project	
	D. STORE	O OFICE		and the second s	All Files	C:\Users\Adeoye	3 Tol
					File Size	21564	
					Modification Time	13-Dec-2008 00:	37:03
	es which a	arry the malaria parasite	in any environment. Accu	racy is requir	Text		_
					Encoding Classpaths		
					Compile Classpath	C:\Users\Adeoye	Tol
					Runtime Classpath	C:\Users\Adeoye	
		•			Boot Classpath	C:\Program Files	
					First_Project.java		
			-		in sej rojeccijava		880
۲				F			
Output	₩ 28	: Local Variables	₩ 🛿 🖁 Watches		Call Stack	6	
FINAL_YEAR_PROJECT (debug) Debugger Console		Name	Туре		Value		
There is a high probability of contacting the malaria paraites as mosquitoes There is a very high probability of contacting the malaria paraites as mosqui		There is no current	t thread to disc null		🗐 null		
There is a very high probability of contacting the malaria paraites as mosqui Artesunate and mefloquine	coes are m	marc and current	· · · · · · · · · · · · · · · · · · ·				
< III	•						
	-						-
Input	Close Input	* m	•				
HTTP Monitor 4 Refactoring							

Fig.10 The result here shows the results obtained by clicking on the suggestion to view the solution or the recommendation of the expert system.

Here, mosquito population would be very high in the specified region, as a result lead to increase in the spread of malaria parasites transmission; and then the system would go on to proffer necessary solutions and medications.

In the course of the software development, all unknowns lead to another form where the user should select the country where he is in- everyone is expected to have that information. Then, the system gives the user a load of information based on the country specified.

Another addition to the current program is the ability of the system to proffer medication (as a doctor would) based on the country or data specified. This is the point the Database engine would be required.

9. Discussion

The malaria expert system acts as a diagnosis tool which can assist malaria researchers determine the intensity or concentration of malaria parasites in designated geographical locations, which in turn can help in developing effective control measures to the spread of malaria in such regions.

In Fig.2, the expert system for malaria environmental diagnosis showed the various climatic and environmental factors which could determine the intensity of malaria parasite occurrences within a geographical region or country. With this, the user agent could specify and choose any of the sub-factors within these major factors.

In Fig.6-Fig.7, shows the selected sub-factors; at this point, all necessary data (as stated above) would have been inputted. The JESS platform performs the necessary knowledge evaluation to determine what result is generated.

Fig.8 showed the output of the results generated by the malaria expert system. This result showed a high probability of malaria parasites within this geographical region and hence, a high risk of malaria transmissions. Extended work on the development of this expert system also showed the ability of the system to proffer medication (as a doctor would) based on the country or data specified.

Fig.9 showed the results produced: The weather status is a major determinant of the vector in a geographical area. There are more possibilities of malaria parasite during high temperatures and vice-versa.

The result in Fig.10 showed that mosquito would be very high in the specified region and then the system would go on to proffer solutions and medications.

Fig.11 shows the results obtained by clicking on the suggestion to view the solution or the recommendation of the expert system.

Another addition to current program is the ability of the system to proffer medication (as a doctor would) based on the country specified. The Database engine would also be required here. This can be done from the main form.

From the main form, the user is expected to explore geographical information by country of current location. Clicking the Click Button on the main form takes the user to another form as shown below:

NetBeans IDE 5.5 - FINAL YEAR PROJECT	- O X
File Edit View Navigate Source Refactor Build Run CVS Tools Window Help N 📭 Թ 📾 🙀 🏟 🍿 🍘 🥂 🖉 🖉 🥼 🕼 🎲 🎝 🖓	
🕒 🕓 🗁 🕼 💅 🖄 🔎 🦓 (* 🖉 🍕 🌵 🌵 逊 🛛 💷 🖿 🕍 🕼 🖓 😒 💽 essesses	
EProj 4 📽 Files Runtime 🗊 First_Project.java 🕷	Palette
FINAL_YEAR_PROJECT Source Design Ref 2 La La La ++ +	Swing
Source Packages	set JLabel E
Tar la Environmental Diagnosis	JButton
File Help	IToggleButton
	≅- JCheckBox
with "** are important Any unsure answer should be marked as unknown.	*- JRadioButton
	* _ ButtonGroup
	I JComboBox
	LIFramel - Properties
	IJFrame] - Properties
If major data is unknown, Please Follow this instruction	Properties
	defaultCloseOperatiorEXIT_ON_CLOSE
	title 🛄 🛄
	Other Properties alwaysOnTop
	alwaysOnTop 📃 🛄
	background [240,240,240]
	bounds <not set=""></not>
i abels [J.abel]	cursor Default Cursor 👻 🛄 🔫
	[JFrame]
si (comboBox 5 (ComboBox)	
in factor (report	
Output Image: Console # Image: Console # Image: Console # Image: Console # FINAL_YEAR_PROJECT (debug) # Debugger Console # Name Type	Local Variables
more accompter with Aline appreciation for acounty.	Value 🖽
Warning: modified in the future.	*
Input Close Input	-
HTTP Monitor Q. Refactoring	
User program running	

Fig.11 Here, the country Armenia was selected

Press Nutry Note - Point - Poin						
Image: Section of the section of th	-					
IProdu # Fates IProdu # Fates IProdu # Produ IProdu IProd	File Edit View Navigate Source Refact	tor Build Run CVS Tools				
Source (Proof) Sourc	🖎 🕓 📂 💷 🛸 🖆	י 🖉 🖉 🖓 א	> 🕩 🐌 國 🛯 🕨 🖕 i	📥 🛥 🗠 ·	79.1/95.3MB	
Source Produoses	Proj 4 🕷 : Files : Runtime	First_Project.java 84			4	Palette D #
Source Packages S		iource Design				
						Jabel E
File Image: sequence is and a sequence is andificult andif is andification and a sequence is and a sequence is						JButton
Subjections and the set of a set of		File				JToggleButton
Image: spread of the spread						Fr- 1CheckBox
Image: provide in the set of the se	Burney Suggestions.java			Aller		
Ind_yee_project? Image: project? Image: project? Image: project? Image: project?<		Al		and and a		
Image: Test Parkages Image: Test Parkages Image: Test P						
Impercent	Test Packages		the state of the second second			ComboBox
Import						
Image: control of it it Minigator - [JT-m] Preprint Pre	🕀 🎧 Test Libraries 💌			district		
Class file of a start of a s	Inspector 4 📽 Navigator - [JF	No ris	k in tourist areas.			
Image: provide i (Nerudes) Im						
** sobel (Dabe) ** sobel (Dabe) *********************************						
Buttori (Battori)		The following fre				Conter Properties
awayschildpusported 1240,240,240,100 awayschildpusported 1240,240,240,240,240,240,240,240,240,240,		The following fue				
PERIOD OF DAY (P						
bounds double of Lobel w jubits [Lobel] w jubi						
Schold () () () () () () () () () (
: Output **** ***** : Local Variables : Output **** ***** : Local Variables fIN4_YCAR_PROJECT (debug) ** Debugger Console # ***** ****** fIN4_YCAR_PROJECT (debug) ** Debugger Console # ************************************		PERIOD OF DAY (*				cursor Default Cursor V
Output Image: State in the	JLabel6 [JLabel]					[JFrame]
Output Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array district Image: Array and Artushas regions in Array and Image:						
TIPAL VAR. PROJECT (debug) * Debugger console # Name Type Value III Hassis, Ararat, and Artashat regions in Ararat district * * * * Poult Close Input * * * I'I' Montor G. Refactoring * *	jLabel7 [JLabel] 🗸 🗸					
Masis, Ararat, and Artashar regions in Ararat district No risk in tourist areas. IT pot Physe Close Input Physe Close Input User program running Construction Con			() () ()	Watches	🐨 😫 🗄 Call Stack	¿Local Variables
Marie, Ararat, and Artahut regions in Ararat district No risk in tourist areas.	FINAL_YEAR_PROJECT (debug) ** Debugg	ger Console 🕺		Name	Туре	Value
No risk in tourist areas.			*	-		
Input Cose Input The Montor Reflectoring User program running			-			<u>^</u>
Image: Control of the second	· · · · · · · · · · · · · · · · · · ·		۱.			
Image: Control of the second	Toput		Close Input			
User program running			Close sipat			*
	HTTP Monitor GR Refactoring					
	User program running					
	Page: 6 of 6 Words: 783 🥸 English (Uni					

Fig.12 and then on-click of search brings out all malaria information about the Armenia according to current research.

ŝ				L	- 0 x
File Help	ow Help				
	> 🗊 🗵 🛯 🕨 🖕 🕍	i 📤 🐙 📕 😪 📰 🛛 56.5/66.	6MB		
			() () () () () () () () () ()	Palette	D 18
	=EE + +			Swing	*
				wi JLabel	
and the state of t			, in	JButton	E
	-			JToggleButton	
Artesunate + mefloquine	lalaria Environmenta	1 Diagnosis			
				III- JCheckBox	
				 JRadioButton 	
	1 with """ are important Any unsur	e answer should be marked as unknow	m. =	I JComboBox	
				🗐 JList	
				- Jusc	-
			Conception of the local division of the loca	FINAL_YEAR_PROJECT [Main] - Pr	operties 🗈 🕷
			and all all all all all all all all all al		
			all Sine is		
	Dame.				
The following factors are major	determinants of mosquitoes which a	arry the malaria parasite in any environm	nent.Accuracy is requir	<no properties=""></no>	
PERIOD OF DAY (*)		-1			
PERIOD OF DAT (*)		•			
				FINAL_YEAR_PROJECT [Main]	0
WEATHER STATUS (*)		POPULATION (*)		FINAL_YEAR_PROJECT	2
<		* POPULATION **	•		
Output	₩ 80	; Call Stack 👳 🛙	Watches	Local Variables	
FINAL_YEAR_PROJECT (debug) Debugger Console		Name			
Risk limited to western borders areas:					
Masis, Ararat, and Artashat regions in Ararat district		There is no current thread to display	the call stack for.		*
No risk in tourist areas. Artesunate + mefloquine	-				
vicesurace + merrodurue	*				
Input	Close Input				
		L			*
HTTP Monitor G. Refactoring					
User program running					

Fig.13 Results of the recommendations of the expert system for the selected country

10. Conclusion

The malaria expert system agent built in this research work, was a rule-based system and contained in its knowledge base, some important rules on malaria causative agents, environmental and climatic factors which can favor the multiplicity of malaria transmissions. It also proffers solution to how malaria transmission can be handled by a reasoning approach based on its knowledge base. The results obtained from this expert system does not only show the possibility of controlling and reducing malaria spread through an environmental diagnostic approach, but also shows the future prospects of the application of different subfields of artificial intelligence to various infectious disease research.

Acknowledgement Our acknowledgement goes to the Chancellor of Covenant University, Nigeria, West Africa Dr. David Oyedepo, for providing enabling environment for research.

References

- [1]David J Briggs, A framework for integrated environmental health impact assessment of systemic risks, Environmental Health 2008, 7:61, doi:10.1186/1476-069X-7-61
- [2] Khalid A Elmardi, Elfatih M Malik, Tarig Abdelgadir, Salah H Al, Abdalla H Elsyed, Mahmoud A Mudather, Asma H Elhassan, Ishag Adam, Feasibility and acceptability of home-based management of malaria strategy adapted to Sudan's conditions using artemisinin-based combination therapy and rapid diagnostic test, Malaria Journal 2009, 8:39, doi:10.1186/1475-2875-8-39
- [3] Utzinger, Jürg; Tozan, Yesim; Singer, Burton H., Efficacy and cost-effectiveness of environmental management for malaria control, Tropical Medicine & International Health, 2001, 6(9):677-687

- [4] Keiser J, Singer B, Utzinger J. Reducing the burden of malaria in different ecoepidemiological settings with environmental management: a systematic review, The Lancet Infectious Diseases ,2005, 5(11): 695-708
- [5] Gerry F. Killeen, AKlilu Seyoum, and Bart G. J. Knols, Rationalizing Historical Successes of Malaria Control in Africa in terms of Mosquito Resource Availability Management, The American Journal of Tropical Medicine and Hygiene, 2004, 71(2): 87-93
- [6] Utzinger, Jürg; Tozan, Yesim; Doumani, Fadi; Singer, Burton H, The economic payoffs of integrated malaria control in the Zambian copperbelt between 1930 and 1950, Tropical Medicine & International Health, 2002,:7(8):657-677
- [7] Kouyaté B, Sie A, Yé M, De Allegri M, Müller O, The Great Failure of Malaria Control in Africa: A District Perspective from Burkina Faso. PLoS Med, 2007, 4(6):e127. doi:10.1371/journal.pmed.0040127
- [8] Clive Shiff, Integrated Approach to Malaria Control, Clinical Microbiology Reviews, 2002, 15(2): 278-293
- [9] Jeffrey D. Sachs, A new global commitment to disease control in Africa, Nature Medicine, 2001, 7: 521 523. Doi: 10.1038/87830.
- [10] Alibu VP, Egwang TG (2003) Genomics Research and Malaria Control: Great Expectations. PLoSBiol1(2):e39, doi:10.1371/journal.pbio.0000039
- [11] Gema Pardo, Miguel Angel Descalzo, Laura Molina, Estefanía Custodio, Magdalena Lwanga, Catalina Mangue, Jaquelina Obono, Araceli Nchama, Jesús Roche, Agustín Benito and Jorge Cano1, Impact of different strategies to control Plasmodium infection and anaemia on the island of Bioko (Equatorial Guinea), Malaria Journal 2006, 5:10doi:10.1186/1475-2875-5-10
- [12] Chantal M Morel, Jeremy A Lauer, David B Evans, Achieving the millennium development goals for health: Cost effectiveness analysis of strategies to combat malaria in developing countries, BMJ2005,;331:1299, doi:10.1136/bmj.38639.702384.AE
- [13] Guerin, Philippe J; Olliaro, Piero; Nosten, Francois; Druilhe, Pierre; Laxminarayan, Ramanan; Binka, Fred; Kilama, Wen L; Ford, Nathan; White, N J, Malaria: current status of control, diagnosis, treatment, and a proposed agenda for research and development, The Lancet Infectious Diseases 2002, 2 (9):564-573