



ELSEVIER

Contents lists available at ScienceDirect

Data in Brief

journal homepage: www.elsevier.com/locate/dib



CrossMark

Data Article

Exploration of solar radiation data from three geo-political zones in Nigeria

Adebowale O. Adejumo^{a,b}, Esivue A. Suleiman^a,
Hilary I. Okagbue^{a,*}

^a Department of Mathematics, Covenant University, Ota, Nigeria

^b Department of Statistics, University of Ilorin, Ilorin, Nigeria

ARTICLE INFO

Article history:

Received 19 April 2017

Accepted 9 May 2017

Available online 17 May 2017

Keywords:

ANOVA

Solar radiation

Tukey's Post Hoc

Port Harcourt

Sokoto

Ibadan

ABSTRACT

In this paper, readings of solar radiation received at three meteorological sites in Nigeria were analysed. Analysis of Variance (ANOVA) statistical test was carried out on the data set to observe the significant differences on radiations for each quarter of the specified years. The data were obtained in raw form from Nigerian Meteorological Agency (NIMET), Oshodi, Lagos. In order to get a clear description and visualization of the fluctuations of the radiation data, each year were considered independently, where it was discovered that for the 3rd quarter of each year, there is a great fall in the intensity of the solar radiation to as low as 73.27 (W/m²), 101.66 (W/m²), 158.51 (W/m²) for Ibadan, Port-Harcourt and Sokoto respectively. A detailed data description is available for the averages across months for each quarter. The data can provide insights on the health implications of exposure to solar radiation and the effect of solar radiation on climate change, food production, rainfall and flood patterns.

© 2017 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

* Corresponding author.

E-mail address: hilary.okagbue@covenantuniversity.edu.ng (H.I. Okagbue).

Specification Table

Subject area	Environmental Science
More specific subject area	Solar Radiation
Type of data	Table and figure
How data was acquired	Unprocessed secondary data
Data format	Processed as Monthly Averages Across Quarters from 2011 to 2015 for Three Meteorological Sites
Experimental factors	Data obtained from Nigerian Meteorological Agency (NIMET)
Experimental features	Computational Analysis: Analysis of Variance (ANOVA) with Post Hoc Test and Correlation Analysis.
Data source location	Ibadan, Port-Harcourt and Sokoto Meteorological Stations.
Data accessibility	All the data are in this data article.
Software	Microsoft Excel and Minitab 17 Statistical Software

Value of the data

- The energy sector of the economy can incorporate the data set and findings for the utilization of solar radiation received from the sites.
- The vitality of these data set is widely recognised in the energy research community for forecasting minutely, hourly, daily and monthly solar radiations using time series tools which could also cater for volatility that exist in the data.
- For educational purposes and environmental studies. See similar works [1–33].
- Findings from the data bring the awareness of the Nigerian government to the most suitable location for the establishment of both solar plants and research institutes to generate electricity.
- The data can provide insights on the health implications of exposure to solar radiation.

1. Data

The raw data for this work were obtained from Nigerian Meteorological Agency (NIMET) Oshodi Lagos, as daily averages on solar radiation for three weather stations namely; Ibadan, Sokoto and Port-Harcourt. The readings were taken using the Gunn-Bellani Radiation Integrator measuring the radiations in millilitres (ml). However, for the sake of this research, the readings were converted to Watts per Sq. meters (1 ml to 13.153 W/m²) covering from 1st of January, 2011 to 31st of December, 2015 and further transformed into monthly-quarterly averages (Table 7) for the specified years using Microsoft Excel software.

Table 1a

Summary for the quarterly average for the sites.

Variable	N	Mean	S.E Mean	Std. Dev.	Minimum	Q1	Median	Q3	Maximum
Ibadan	60	142.24	3.84	29.76	73.27	115.07	151.91	166.75	186.77
Sokoto	60	235.01	4.40	34.08	158.51	217.05	237.96	258.57	308.72
Port H	60	153.29	3.85	29.85	101.66	129.08	156.36	179.17	231.96

Table 1b
Summary for the quarterly average for the sites.

Variable	Kurtosis	Skewness
Ibadan	-0.77	-0.60
Sokoto	-0.02	-0.45
Port H	-0.57	-0.05




Fig. 1. Quarterly averages of solar radiation for the three sites in the year 2011.




Fig. 2. Quarterly averages of solar radiation for the three sites in the year 2012.




Fig. 3. Quarterly averages of solar radiation for the three sites in the year 2013.

Table 1a is the statistical summary of the quarterly averages for solar radiation from the 1st of January 2011 to 31st of December 2015. Meanwhile, it was observed that on an average, Sokoto receives the highest intensity of solar radiation followed by Port Harcourt and Ibadan.




Fig. 4. Quarterly averages of solar radiation for the three sites in the year 2014.




Fig. 5. Quarterly averages of solar radiation for the three sites in the year 2015.

Furthermore, Table 1b shows that the data set from all sites exhibit negative kurtosis and skew, implying that the distributions are light-tailed and skewed to the left respectively.

From the graphs (Figs. 1–5), it was observed that Sokoto was top on the presented charts with an exception on December 2015. This validates that the closer the earth's surface is to the sun, the greater the radiations it receives, which is well applicable to the case of Sokoto ranking top among the other stations with a height of 309 m above sea level. Furthermore, the solar radiation received at Sokoto increases yearly within the 1st quarter. It has to be noted that the y-axis of the figures is the solar radiation reading for the zones measured in Watt per square meter.

2. Methods and materials

The summary of the location sites of the raw data are displayed in Table 2.

Linear correlation is traditionally used to roughly determine the relationship between two variables. Table 3 shows the correlation matrix between the three meteorological stations. Though independent, the correlations among each station are positive and that of Sokoto–Ibadan and Ibadan–Port Harcourt are highly positively correlated. It is either the solar radiation levels are increasing or decreasing at the three sites simultaneously.

The ANOVA test carried out on the data set for all sites and the result was displayed in Tables 4–6. The results showed significant differences in the means for solar radiation received quarterly at the stations independently.

The significant differences in the means as revealed from the ANOVA results led to further analysis using the Tukey's Simultaneous 95% Confidence Interval Post Hoc test. The aim is to detect the specific quarters where differences lie across the specified years.

The results revealed that for Port Harcourt, significant differences lie within all other quarters except for the 1st and 4th quarters and for the 2nd and 4th quarters yearly as seen in Fig. 6. Similarly,

Table 2
Location of the sites.

Sites	Latitude	Longitude	Height (m)
Ibadan	07.22'	03.59'	224.01
Sokoto	12.55'	05.12'	309.0
Port Harcourt	05.01'	06.57'	247.0

Table 3
3 × 3 Correlation matrix for the sites.

Sites	Ibadan	Sokoto	Port Harcourt
Ibadan	1		
Sokoto	0.741099	1	
Port H	0.755118	0.426821562	1

Table 4
Analysis of Variance (ANOVA) for Port Harcourt.

Source of variation	D.F	S.S	M.S	F-value	P-value
Quarters	3	31672	10557.3	28.29	0.000
Error	56	20898	373.2		
Total	59	52570			

Table 5
Analysis of Variance (ANOVA) for Sokoto.

Source of variation	D.F	S.S	M.S	F-value	P-value
Quarters	3	29161	9720.4	13.83	0.000
Error	56	39364	702.9		
Total	59	68526			

Table 6
Analysis of Variance (ANOVA) for Ibadan.

Source of variation	D.F	S.S	M.S	F-value	P-value
Quarters	3	38059	12686.3	50.04	0.000
Error	56	14197	253.5		
Total	59	52256			




Fig. 6. Tukey's Post Hoc test for mean-quarterly differences in Port Harcourt site from 2011 to 2015.




Fig. 7. Tukey's Post Hoc test for mean-quarterly differences in Sokoto site from 2011 to 2015.




Fig. 8. Tukey's Post Hoc test for mean-quarterly differences in Ibadan site from 2011 to 2015.

Table 7
Monthly-quarterly solar radiation for three sites from 2011 to 2015.

Year	Month	Quarter	Ibadan	Sokoto	Port Harcourt
2011	Jan	Q1	152.9544	216.6395	195.3404
2011	Feb	Q1	167.1816	221.9066	173.1943
2011	Mar	Q1	179.9389	244.9392	180.448
2011	Apr	Q2	162.218	242.0993	182.9117
2011	May	Q2	154.397	232.1683	160.7612
2011	Jun	Q2	126.53	189.8827	131.3527
2011	Jul	Q3	90.88166	168.1862	121.4725
2011	Aug	Q3	91.89994	163.3494	114.3021
2011	Sep	Q3	112.588	218.2928	134.7724
2011	Oct	Q4	141.0745	231.2348	141.5836
2011	Nov	Q4	166.8653	259.2857	155.8608
2011	Dec	Q4	186.7699	220.9247	188.9337
2012	Jan	Q1	153.8454	233.9503	169.7561
2012	Feb	Q1	149.9874	236.8866	148.0371
2012	Mar	Q1	171.4956	255.0796	157.5473
2012	Apr	Q2	168.6628	254.1561	155.8032
2012	May	Q2	140.2683	228.6467	175.9798
2012	Jun	Q2	106.2308	198.5635	155.5539
2012	Jul	Q3	98.30663	170.3925	123.297
2012	Aug	Q3	84.72954	163.9434	132.4191
2012	Sep	Q3	102.2412	237.7151	139.4198
2012	Oct	Q4	148.6692	225.507	169.9258
2012	Nov	Q4	149.4159	235.8298	164.1032
2012	Dec	Q4	156.1366	252.3218	183.3756
2013	Jan	Q1	143.9172	241.5025	190.2066
2013	Feb	Q1	152.4786	263.7138	182.1664
2013	Mar	Q1	170.1379	274.2572	190.2914
2013	Apr	Q2	153.0987	246.2206	190.1896
2013	May	Q2	152.318	266.2807	155.0758
2013	Jun	Q2	122.4965	238.1973	118.5945
2013	Jul	Q3	90.37251	204.8868	104.1193
2013	Aug	Q3	91.51808	158.5125	104.4163
2013	Sep	Q3	123.5487	220.8356	103.7318
2013	Oct	Q4	147.5236	196.0405	160.1248
2013	Nov	Q4	159.2367	215.5635	140.6912
2013	Dec	Q4	161.1007	241.7571	180.2359
2014	Jan	Q1	151.5119	260.3407	187.0669
2014	Feb	Q1	165.4435	265.0291	185.4546
2014	Mar	Q1	161.6947	283.3369	149.3904
2014	Apr	Q2	177.256	273.8853	173.354
2014	May	Q2	166.4042	245.7454	155.1183
2014	Jun	Q2	135.6931	251.1309	121.3127
2014	Jul	Q3	99.66434	213.1179	105.4346
2014	Aug	Q3	73.27386	168.3135	109.7623
2014	Sep	Q3	109.8259	233.287	103.2934
2014	Oct	Q4	136.8316	265.9048	159.7854
2014	Nov	Q4	153.5371	289.4494	132.2734
2014	Dec	Q4	170.6895	273.8075	168.4408
2015	Jan	Q1	179.5146	253.1279	188.5943
2015	Feb	Q1	179.7237	308.7152	166.6179
2015	Mar	Q1	175.399	269.7174	169.0348
2015	Apr	Q2	177.2122	293.1761	157.4829
2015	May	Q2	178.2418	274.8512	145.487
2015	Jun	Q2	131.3527	256.4359	124.2063
2015	Jul	Q3	106.962	227.5436	101.6585
2015	Aug	Q3	105.1376	201.4077	112.5626
2015	Sep	Q3	110.3959	218.6873	128.3276
2015	Oct	Q4	132.8434	244.4301	156.8578
2015	Nov	Q4	152.7041	250.2541	187.9975
2015	Dec	Q4	172.3018	209.2145	231.9561

Fig. 7 shows that for Sokoto, the 1st and 3rd quarters, 3rd and 4th quarters and the 2nd and 3rd quarters as having significant differences. Lastly, Fig. 8 shows that for Ibadan, significance differences exists between the 1st and 3rd Quarters, 2nd and 3rd Quarters and the 3rd and 4th Quarters for these years. Minitab17 software was implemented for analysis on the solar radiation data, which produced the ANOVA results and the Post Hoc test for the stations (Table 7).

Acknowledgement

This work is sponsored by Centre for Research, Innovation and Discovery, Covenant University, Ota, Nigeria.

Transparency document. Supplementary material

Transparency data associated with this article can be found in the online version at <http://dx.doi.org/10.1016/j.dib.2017.05.017>.

References

- [1] M. Muluget, D. Tolossa, G. Abebe, Description of long-term climate data in Eastern and Southeastern Ethiopia, *Data Brief 12* (2017) 26–36.
- [2] S. Mwalusepo, E. Muli, A. Faki, S. Raina, Land use and land cover data changes in Indian Ocean Islands: case study of Unguja in Zanzibar Island, *Data Brief 11* (2017) 117–121.
- [3] K.G. Pantavou, C.P. Jacovides, G.K. Nikolopoulos, Data on solar sunburning ultraviolet (UVB) radiation at an urban Mediterranean climate, *Data Brief 11* (2017) 597–600.
- [4] M.J. Mohammadi, A. Takdastan, S. Jorfi, A. Neisi, M. Farhadi, M. Yari, et al., Electrocoagulation process to chemical and biological oxygen demand treatment from carwash grey water in Ahvaz megacity, Iran, *Data Brief 11* (2017) 634–639.
- [5] F. Babaahmadi, S. Dobaradaran, A. Pazira, S.S. Eghbali, M. Khorsand, M. Keshtkar, Data on metal levels in the inlet and outlet wastewater treatment plant of hospitals in Bushehr province, Iran, *Data Brief 10* (2017) 1–5.
- [6] I. Estrada-Contreras, C.A. Sandoval-Ruiz, F.S. Mendoza-Palmero, S. Ibáñez-Bernal, M. Equihua, G. Benítez, Data documenting the potential distribution of *Aedes aegypti* in the center of Veracruz, Mexico, *Data Brief 10* (2017) 432–437.
- [7] B.N. Rekadwad, C.N. Khobragade, Is the increase in oil pollution a possibility of the presence of diverse microorganisms? An experimental dataset on oil prevalent areas of Goa, India, *Data Brief 9* (2016) 8–12.
- [8] C.O. Okoye, O. Taylan, Performance analysis of a solar chimney power plant for rural areas in Nigeria, *Renew. Energy 104* (2017) 96–108.
- [9] S.T. Ogunjo, A.T. Adediji, J.B. Dada, Investigating chaotic features in solar radiation over a tropical station using recurrence quantification analysis, *Theor. Appl. Clim. 127* (1–2) (2017) 421–427.
- [10] T.R. Ayodele, A.S.O. Ogunjuyigbe, Performance assessment of empirical models for prediction of daily and monthly average global solar radiation: the case study of Ibadan, Nigeria, *Int. J. Ambient Energy* (2017), in press.
- [11] O.D. Ohijeagbon, O.O. Ajayi, Solar regime and LVOE of PV embedded generation systems in Nigeria, *Renew. Energy 78* (2015) 226–235.
- [12] O.S. Ohunakin, M.S. Adaramola, O.M. Oyewola, O.J. Matthew, R.O. Fagbenle, The effect of climate change on solar radiation in Nigeria, *Sol. Energy 116* (2015) 272–286.
- [13] T.R. Ayodele, A.S.O. Ogunjuyigbe, Prediction of monthly average global solar radiation based on statistical distribution of clearness index, *Energy 90* (2015) 1733–1742.
- [14] H.O. Njoku, Solar photovoltaic potential in Nigeria, *J. Energy Engine 140* (2) (2014) (Article number 04013020).
- [15] O.O. Ajayi, O.D. Ohijeagbon, C.E. Nwadialo, O. Olasope, New model to estimate daily global solar radiation over Nigeria, *Sust. Energy Technol. Assess. 5* (2014) 28–36.
- [16] E.O. Ogolo, Estimation of global solar radiation in Nigeria using a modified Angstrom model and the trend analysis of the allied meteorological components, *Indian J. Radio Sp. Phys. 43* (3) (2014) 213–224.
- [17] A. Giwa, A. Alabi, A. Yusuf, T. Olukan, A comprehensive review on biomass and solar energy for sustainable energy generation in Nigeria, *Renew. Sustain. Energy Rev. 69* (2017) 620–641.
- [18] G.N. Okonkwo, A.O.C. Nwokoye, Solar radiation analysis and temperature profiles of thermosyphon solar water heater at Awka, Nigeria, *Adv. Nat. Appl. Sci. 6* (2) (2012) 189–194.
- [19] L.S. Taura, A.O. Musa, S. Saleh, Estimation of the global solar radiation and its derivatives over the two (2) vegetation zones of Jigawa state, *Eur. J. Sci. Res. 79* (1) (2012) 99–109.
- [20] A.O. Boyo, K.A. Adeyemi, Analysis of solar radiation data from satellite and Nigeria meteorological station, *Int. J. Renew. Energy Res. 1* (4) (2011) 314–322.
- [21] S. Olayinka, Estimation of global and diffuse solar radiations for selected cities in Nigeria, *Int. J. Energy Environ. Engine 2* (3) (2011) 13–33.

- [22] A.F. Alonge, O.D. Iroemeha, Estimation of solar radiation for crop drying in Uyo, Nigeria using a mathematical model, *Adv. Mater. Res.* 824 (2013) 420–428.
- [23] O.S. Ohunakin, M.S. Adaramola, O.M. Oyewola, R.O. Fagbenle, Correlations for estimating solar radiation using sunshine hours and temperature measurement in Osogbo, Osun State, Nigeria, *Front. Energy* 7 (2) (2013) 214–222.
- [24] M.S. Adaramola, Estimating global solar radiation using common meteorological data in Akure, Nigeria, *Renew. Energy* 47 (2012) 38–44.
- [25] O.R. Oladosu, L.A. Sunmonu, Investigation of surface energy budget over a humid tropical site at Ile-ife, Nigeria: a comparison of eddy covariance and bowen ratio methods, *Indian J. Radio Sp. Phys.* 40 (1) (2011) 37–44.
- [26] M.S. Okundamiya, A.N. Nzeako, Empirical model for estimating global solar radiation on horizontal surfaces for selected cities in the six geopolitical zones in Nigeria, *J. Control Sci. Engine* (2011) (Article number 356405).
- [27] T.C. Chineke, U.K. Okoro, Application of Sayigh "Universal Formula" for global solar radiation estimation in the Niger Delta region of Nigeria, *Renew. Energy* 35 (3) (2010) 734–739.
- [28] D.A. Fadare, Modelling of solar energy potential in Nigeria using an artificial neural network model, *Appl. Energy* 86 (9) (2009) 1410–1422.
- [29] C. Augustine, M.N. Nnabuchi, Relationship between global solar radiation and sunshine hours for Calabar, Port Harcourt and Enugu, Nigeria, *Int. J. Phys. Sci.* 4 (4) (2009) 182–188.
- [30] I.U. Chiemeka, Estimation of solar radiation at Uturu, Nigeria, *Int. J. Phys. Sci.* 3 (5) (2008) 126–130.
- [31] T.C. Chineke, Equations for estimating global solar radiation in data sparse regions, *Renew. Energy* 33 (4) (2008) 827–831.
- [32] O.O. Jegede, E.O. Ogolo, T.O. Aregbesola, Estimating net radiation using routine meteorological data at a tropical location in Nigeria, *Int. J. Sustain. Energy.* 25 (2) (2006) 107–115.
- [33] O.O. Jegede, A note on net radiation at Osu, Nigeria, *Meteorol. Z.* 12 (5) (2003) 269–271.